

## LISTA STANDARDE CERTIFICARE

European Standardisation Organisation	Numele și titlul standardului (scurtă descriere a standardului)
1	2
Cenelec	EN 50364:2001 Limitation of human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 10 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
Cenelec	EN 50371:2002 Generic standard to demonstrate the compliance of low power electronic and electrical apparatus with the basic restrictions related to human exposure to electromagnetic fields (10 MHz — 300 GHz) — general public
Cenelec	EN 50385:2002 Product standard to demonstrate the compliance of radio base stations and fixed terminal stations for wireless telecommunication systems with the basic restrictions or the reference levels related to human exposure to radio frequency electromagnetic fields (110 MHz — 40 GHz) — general public
Cenelec	EN 50401:2006 Product standard to demonstrate the compliance of fixed equipment for radio transmission (110 MHz — 40 GHz) intended for use in wireless telecommunication networks with the basic restrictions or the reference levels related to general public exposure to radio frequency electromagnetic fields, when put into service
Cenelec	Amendment A1:2000 to EN 55022:1998 (CISPR 22:1997/A1:2000) Amendment A2:2003 to EN 55022:1998 (CISPR 22:1997/A2:2002)
Cenelec	EN 55022:2006 Information technology equipment — radio disturbance characteristics — limits and methods of measurement (CISPR 22:2005 (Modified))
Cenelec	EN 60065:2002 Audio, video and similar electronic apparatus — safety requirements (IEC 60065:2001 (Modified)) Amendment A1:2006 to EN 60065:2002 (IEC 60065:2001/A1:2005 (Modified))
Cenelec	EN 60215:1989 Safety requirements for radio transmitting equipment (IEC 60215:1987) Amendment A1:1992 to EN 60215:1989 (IEC 60215:1987/A1:1990) Amendment A2:1994 to EN 60215:1989 (IEC 60215:1987/A2:1993)

Cenelec	EN 60950-1:2001 Information technology equipment — safety — Part 1: General requirements (IEC 60950-1:2001 (Modified)) Amendment A11:2004 to EN 60950-1:2001
Cenelec	EN 60950-1:2006 Information technology equipment — safety — Part 1: General requirements (IEC 60950-1:2005 (Modified))
Cenelec	EN 60950-22:2006 Information technology equipment — safety — Part 22: Equipment installed outdoors (IEC 60950-22:2005 (Modified))
Cenelec	EN 60950-23:2006 Information technology equipment — safety — Part 23: Large data storage equipment (IEC 60950-23:2005)
Cenelec	EN 61000-3-2:2000 Electromagnetic compatibility (EMC) — Part 3-2: Limits — limits for harmonic current emissions (equipment input current up to and including 16 A per phase) (IEC 61000-3-2:2000 (Modified)) Amendment A2:2005 to EN 61000-3-2:2000 (IEC 61000-3-2:2000/A1:2001 + IEC 61000-3-2:2000/A2:2004)
Cenelec	EN 61000-3-2:2006 Electromagnetic compatibility (EMC) — Part 3-2: Limits — limits for harmonic current emissions (equipment input current $\leq$ 16 A per phase) (IEC 61000-3-2:2005)
Cenelec	EN 61000-3-3:1995 Electromagnetic compatibility (EMC) — Part 3-3: Limits — limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current $\leq$ 16 A per phase and not subject to conditional connection (IEC 61000-3-3:1994) Amendment A1:2001 to EN 61000-3-3:1995 (IEC 61000-3-3:1994/A1:2001)
Cenelec	EN 61000-3-11:2000 Electromagnetic compatibility (EMC) — Part 3-11: Limits — limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems — equipment with rated current $\leq$ 75 A and subject to conditional connection (IEC 61000-3-11:2000)
Cenelec	EN 61000-3-12:2005 Electromagnetic compatibility (EMC) — Part 3-12: Limits — limits for harmonic currents produced by equipment connected to public low-voltage systems with input current $>$ 16 A and $\leq$ 75 A per phase (IEC 61000-3-12:2004)
Cenelec	EN 61000-6-1:2001 Electromagnetic compatibility (EMC) — Part 6-1: Generic standards — immunity for residential, commercial and light-industrial environments (IEC 61000-6-1:1997 (Modified))



ETSI	EN 300 162-2 V1.2.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); radiotelephone transmitters and receivers for the maritime mobile service operating in VHF bands; Part 2: Harmonized EN covering essential requirements of Article 3.2 of the R&TTE Directive
ETSI	EN 300 162-3 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); radiotelephone transmitters and receivers for the maritime mobile service operating in VHF bands; Part 3: Harmonized EN covering essential requirements of Article 3.3e of the R&TTE Directive
ETSI	EN 300 162-3 V1.2.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); radiotelephone transmitters and receivers for the maritime mobile service operating in VHF bands; Part 3: Harmonized EN covering essential requirements of Article 3.3 (e) of the R&TTE Directive
ETSI	EN 300 219-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; radio equipment with an internal or external RF connector intended primarily for analogue speech; Part 2: Harmonized EN covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 300 220-2 V2.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); radio equipment to be used in the 25 MHz to 1 000 MHz frequency range with power levels ranging up to 500 mW; Part 2: Harmonized EN covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 300 220-2 V2.1.2 Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); radio equipment to be used in the 25 MHz to 1 000 MHz frequency range with power levels ranging up to 500 mW; Part 2: Harmonized EN covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 300 220-3 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); radio equipment to be used in the 25 MHz to 1 000 MHz frequency range with power levels ranging up to 500 mW; Part 3: Harmonized EN covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 300 224-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); on-site paging service; Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive
ETSI	EN 300 328 V1.7.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); wideband transmission systems; data transmission equipment operating in the 2,4 GHz ISM band and using wide band modulation techniques; harmonized EN covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 300 330-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive



ETSI	EN 300 341-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service (RP 02); radio equipment using an integral antenna transmitting signals to initiate a specific response in the receiver; Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive
ETSI	EN 300 373-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); maritime mobile transmitters and receivers for use in the MF and HF bands Part 2: Harmonised EN covering essential requirements of Article 3.2 of the R&TTE Directive
ETSI	EN 300 373-3 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); maritime mobile transmitters and receivers for use in the MF and HF bands Part 3: Harmonised EN covering essential requirements of Article 3.3(e) of the R&TTE Directive
ETSI	EN 300 454-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); wide band audio links; Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive
ETSI	EN 300 471-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; access protocol, occupation rules and corresponding technical characteristics of radio equipment for the transmission of data on shared channels; Part 2: Harmonized EN covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 300 674-2-1 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Road Transport and Traffic Telematics (RTTT); Dedicated Short Range Communication (DSRC) transmission equipment (500 kbit/s/ 250 kbit/s) operating in the 5,8 GHz Industrial, Scientific and Medical (ISM) band; Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive; Sub-part 1: Requirements for the Road Side Units (RSU)
ETSI	EN 300 674-2-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Road Transport and Traffic Telematics (RTTT); Dedicated Short Range Communication (DSRC) transmission equipment (500 kbit/s/ 250 kbit/s) operating in the 5,8 GHz Industrial, Scientific and Medical (ISM) band; Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive; Sub-part 2: Requirements for the On-Board Units (OBU)
ETSI	EN 300 698-2 V1.1.1 Electromagnetic compatibility and Radio Spectrum Matters (ERM); radio telephone transmitters and receivers for the maritime mobile service operating in the VHF bands used on inland waterways; Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive
ETSI	EN 300 698-3 V1.1.1 Electromagnetic compatibility and Radio Spectrum Matters (ERM); radio telephone transmitters and receivers for the maritime mobile service operating in the VHF bands used on inland waterways; Part 3: Harmonized EN under Article 3.3e of the R&TTE Directive
ETSI	EN 300 718-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); avalanche beacons; transmitter-receiver systems; Part 2: Harmonized EN covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 300 720-2 V1.1.1 Electromagnetic compatibility and Radio Spectrum Matters (ERM); Ultra-High Frequency (UHF) on-board communications systems and equipment; Part 2: Harmonised EN under Article 3.2 of the R&TTE Directive

ETSI	EN 300 720-2 V1.2.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Ultra-High Frequency (UHF) on-board communications systems and equipment; Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive
ETSI	EN 300 761-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Automatic Vehicle Identification (AVI) for railways operating in the 2,45 GHz frequency range; Part 2: Harmonized standard covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 301 025-2 V1.3.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); VHF radiotelephone equipment for general communications and associated equipment for class 'D' Digital Selective Calling (DSC); Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive
ETSI	EN 301 025-3 V1.3.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); VHF radiotelephone equipment for general communications and associated equipment for Class 'D' Digital Selective Calling (DSC); Part 3: Harmonized EN under Article 3.3e of the R&TTE Directive
ETSI	EN 301 091-2 V.1.2.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Road Transport and Traffic Telematics (RTTT); radar equipment operating in the 76 GHz to 77 GHz; Part 2: Harmonized EN covering essential requirements of Article 3.2 of the R&TTE Directive
ETSI	EN 301 091-2 V1.3.2 Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices; Road Transport and Traffic Telematics (RTTT); radar equipment operating in the 76 GHz to 77 GHz; Part 2: Harmonized EN covering essential requirements of Article 3.2 of the R&TTE Directive
ETSI	EN 301 166-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; technical characteristics and test conditions for radio equipment for analogue and/or digital communication (speech and/or data) and operating on narrowband channels and having an antenna connector; Part 2: Harmonized EN covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 301 166-2 V1.2.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; radio equipment for analogue and/or digital communication (speech and/or data) and operating on narrow band channels and having an antenna connector; Part 2: Harmonized EN covering essential requirements of Article 3.2 of the R&TTE Directive
ETSI	EN 301 178-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); portable Very High Frequency (VHF) radiotelephone equipment for the maritime mobile service operating in the VHF bands (for non- GMDSS applications only); Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive
ETSI	EN 301 178-2 V1.2.2 Electromagnetic compatibility and Radio spectrum Matters (ERM); portable Very High Frequency (VHF) radiotelephone equipment for the maritime mobile service operating in the VHF bands (for non- GMDSS applications only); Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive

ETSI	EN 301 357-2 V1.3.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); cordless audio devices in the range 25 MHz to 2 000 MHz; consumer radio microphones and in-ear monitoring systems operating in the CEPT harmonized band 863 MHz to 865 MHz; Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive
ETSI	EN 301 360 V1.1.3 Satellite Earth Stations and Systems (SES); harmonized EN for Satellite User Terminals (SUT) transmitting towards satellites in geostationary orbit in the 27,5 to 29,5 GHz frequency bands covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 301 360 V1.2.1 Satellite Earth Stations and Systems (SES); harmonized EN for Satellite Interactive Terminals (SIT) and Satellite User Terminals (SUT) transmitting towards geostationary satellites in the 27,5 GHz to 29,5 GHz frequency bands covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 301 423 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); harmonized standard for the terrestrial flight telecommunications system under Article 3.2 of the R&TTE Directive
ETSI	EN 301 428 V1.3.1 Satellite Earth Stations and Systems (SES); harmonized EN for Very Small Aperture Terminal (VSAT); transmit-only, transmit/receive or receive-only satellite earth stations operating in the 11/12/14 GHz frequency bands covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 301 430 V1.1.1 Satellite Earth Stations and Systems (SES); harmonized EN for Satellite News Gathering Transportable Earth Stations (SNG TES) operating in the 11-12/13-14 GHz frequency bands covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 301 441 V1.1.1 Satellite Earth Stations and Systems (SES); harmonized EN for Mobile Earth Stations (MES), including handheld earth stations, for Satellite Personal Communications Networks (S-PCN) in the 1,6/2,4 GHz bands under the Mobile Satellite Service (MSS) covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 301 442 V1.1.1 Satellite Earth Stations and Systems (SES); harmonized EN for Mobile Earth Stations (MES), including handheld earth stations, for Satellite Personal Communications Networks (S-PCN) in the 2,0 GHz bands under the Mobile Satellite Service (MSS) covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 301 443 V1.2.1 Satellite Earth Stations and Systems (SES); harmonized EN for Very Small Aperture Terminal (VSAT); transmit-only, transmit-and- receive, receive-only satellite earth stations operating in the 4 GHz and 6 GHz frequency bands covering essential requirements under Article 3.2 of the R&TTE Directive

ETSI	EN 301 443 V1.3.1 Satellite Earth Stations and Systems (SES); harmonized EN for Very Small Aperture Terminal (VSAT); transmit only, transmit and receive, receive only satellite earth stations operating in the 4 GHz and 6 GHz frequency bands covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 301 459 V1.2.1 Satellite Earth Stations and Systems (SES); harmonized EN for Satellite Interactive Terminals (SIT) and Satellite User Terminals (SUT) transmitting towards satellites in geostationary orbit in the 29,5 to 30,0 GHz frequency bands covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 301 459 V1.3.1 Satellite Earth Stations and Systems (SES); harmonized EN for Satellite Interactive Terminals (SIT) and Satellite User Terminals (SUT) transmitting towards satellites in geostationary orbit in the 29,5 to 30,0 GHz frequency bands covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 301 459 V1.4.1 Satellite Earth Stations and Systems (SES); harmonized EN for Satellite Interactive Terminals (SIT) and Satellite User Terminals (SUT) transmitting towards satellites in geostationary orbit in the 29,5 GHz to 30,0 GHz frequency bands covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 301 489-1 V1.2.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
ETSI	EN 301 489-12 V1.2.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 12: Specific conditions for Very Small Aperture Terminal, Satellite Interactive Earth Stations operated in the frequency ranges between 4 GHz and 30 GHz in the Fixed Satellite Service (FSS)
ETSI	EN 301 489-17 V1.2.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for 2,4 GHz wideband transmission systems and 5 GHz high performance RLAN equipment
ETSI	EN 301 489-18 V1.3.1 ElectroMagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 18: Specific conditions for Terrestrial Trunked Radio (TETRA) equipment

ETSI	EN 301 489-19 V1.2.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 19: Specific conditions for Receive Only Mobile Earth Stations (ROMES) operating in the 1,5 GHz band providing data communication
ETSI	EN 301 489-2 V1.3.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 2: Specific conditions for radio paging equipment
ETSI	EN 301 489-20 V1.2.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 20: Specific conditions for Mobile Earth Stations (MES) used in the Mobile Satellite Services (MSS)
ETSI	EN 301 489-22 V1.3.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 22: Specific requirements for ground-based VHF aeronautical mobile and fixed radio equipment
ETSI	EN 301 489-23 V1.2.1 Electromagnetic compatibility and Radio Spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 23: Specific conditions for IMT-2000 CDMA Direct Spread (UTRA) Base Station (BS) radio, repeater and ancillary equipment
ETSI	EN 301 489-28 V1.1.1 Electromagnetic compatibility and Radio Spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 28: Specific conditions for wireless digital video links
ETSI	EN 301 489-3 V1.4.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 40 GHz
ETSI	EN 301 489-32 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 32: Ground and wall-probing radar applications
ETSI	EN 301 489-4 V1.3.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 4: Specific conditions for fixed radio links and ancillary equipment and services

ETSI	EN 301 489-5 V1.3.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 5: Specific conditions for Private land Mobile Radio (PMR) and ancillary equipment (speech and non-speech)
ETSI	EN 301 489-6 V1.2.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 6: Specific conditions for Digital Enhanced Cordless Telecommunications (DECT) equipment
ETSI	EN 301 489-9 V1.3.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 9: Specific conditions for wireless microphones, similar Radio Frequency (RF) audio link equipment, cordless audio and in-ear monitoring devices
ETSI	EN 301 489-9 V1.4.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 9: Specific conditions for wireless microphones, similar Radio Frequency (RF) audio link equipment, cordless audio and in-ear monitoring devices
ETSI	EN 301 681 V1.3.2 Satellite Earth Stations and Systems (SES); harmonized EN for Mobile Earth Stations (MESs) of Geostationary mobile satellite systems, including handheld earth stations, for Satellite Personal Communications Networks (S-PCN) in the 1,5/1,6 GHz bands under the Mobile Satellite Service (MSS) covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 301 721 V1.2.1 Satellite Earth Stations and Systems (SES); harmonized EN for Mobile Earth Stations (MES) providing Low Bit Rate Data Communications (LBRDC) using Low Earth Orbiting (LEO) satellites operating below 1 GHz covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 301 753 V1.2.1 Fixed Radio Systems; multipoint equipment and antennas; generic harmonized standard for multipoint digital fixed radio systems and antennas covering the essential requirements under Article 3.2 of the Directive 1999/5/EC
ETSI	EN 301 796 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); harmonized EN for CT1 and CT1+ cordless telephone equipment covering essential requirements under Article 3.2 of the R&TTE Directive

ETSI	EN 301 797 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); harmonized EN for CT2 cordless telephone equipment covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 301 843-1 V1.2.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for marine radio equipment and services; Part 1: Common technical requirements
ETSI	EN 301 843-2 V1.2.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for marine radio equipment and services; Part 2: Specific conditions for radio- telephone transmitters and receivers
ETSI	EN 301 843-4 V1.2.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for marine radio equipment and services; Part 4: Specific conditions for Narrow-Band Direct-Printing (NDBP) NAVTEX receivers
ETSI	EN 301 843-5 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for marine radio equipment and services; Part 5: Specific conditions for MF/HF radiotelephone transmitters and receivers
ETSI	EN 301 843-6 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for marine radio equipment and services; Part 6: Specific conditions for earth stations on board vessels operating in frequency bands above 3 GHz
ETSI	EN 301 893 V1.2.3 Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; harmonized EN covering essential requirements of Article 3.2 of the R&TTE Directive
ETSI	EN 301 929-2 V1.2.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); VHF transmitters and receivers as coast stations for GMDSS and other applications in the maritime mobile services; Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive
ETSI	EN 301 997-2 V1.1.1 Transmission and Multiplexing (TM); Multipoint equipment; radio equipment for use in Multimedia Wireless Systems (MWS) in the frequency band 40,5 GHz to 43,5 GHz; Part 2: Harmonized EN covering essential requirements under Article 3.2 of the R&TTE Directive

ETSI	EN 302 017-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); transmitting equipment for the Amplitude Modulated (AM) sound broadcasting service; Part 2: Harmonized EN covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 302 018-2 V1.1.1 Electromagnetic Compatibility and Radio Spectrum Matters (ERM); transmitting equipment for the Frequency Modulated (FM) radio broadcast service; Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive
ETSI	EN 302 018-2 V1.2.1 Electromagnetic Compatibility and Radio Spectrum Matters (ERM); transmitting equipment for the Frequency Modulated (FM) radio broadcast service; Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive
ETSI	EN 302 054-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Meteorological Aids (Met Aids); radiosondes to be used in the 400,15 MHz to 406 MHz frequency range with power levels ranging up to 200 mW; Part 2: Harmonized EN covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 302 064-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Wireless Video Links (WVL) operating in the 1,3 GHz to 50 GHz frequency band; Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive
ETSI	EN 302 066-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Ground and wall-probing radar applications; Part 2: Harmonised EN under Article 3.2 of the R&TTE Directive
ETSI	EN 302 186 V1.1.1 Satellite Earth Stations and Systems (SES); harmonized EN for satellite mobile Aircraft Earth Stations (AES) operating in the 11/12/ 14 GHz frequency bands covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 302 194-2 V1.1.2 Electromagnetic compatibility and Radio spectrum Matters (ERM); navigation radar used on inland waterways; Part 2: Harmonized EN covering essential requirements of Article 3.2 of the R&TTE Directive
ETSI	EN 302 208-2 V.1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W; Part 2: Harmonised EN under Article 3.2 of the R&TTE Directive

ETSI	EN 302 217-2-2 V1.1.3 Fixed Radio Systems; characteristics and requirements for point to point equipment and antennas; Part 2 2: Harmonized EN covering essential requirements of Article 3.2 of R&TTE Directive for digital systems operating in frequency bands where frequency co ordination is applied
ETSI	EN 302 217-2-2 V1.2.3 Fixed Radio Systems; characteristics and requirements for point to point equipment and antennas; Part 2 2: Harmonized EN covering essential requirements of Article 3.2 of R&TTE Directive for digital systems operating in frequency bands where frequency co ordination is applied
ETSI	EN 302 217-3 V1.1.3 Fixed Radio Systems; characteristics and requirements for point-to- point equipment and antennas; Part 3: Harmonized EN covering essential requirements of Article 3.2 of R&TTE Directive for equipment operating in frequency bands where no frequency co- ordination is applied
ETSI	EN 302 217-4-2 V1.1.3 Fixed Radio Systems; characteristics and requirements for point to point equipment and antennas; Part 4 2: Harmonized EN covering essential requirements of Article 3.2 of R&TTE Directive for antennas
ETSI	EN 302 217-4-2 V1.2.1 Fixed Radio Systems; characteristics and requirements for point to point equipment and antennas; Part 4 2: Harmonized EN covering essential requirements of Article 3.2 of R&TTE Directive for antennas
ETSI	EN 302 217-4-2 V1.3.1 Fixed Radio Systems; characteristics and requirements for point-to- point equipment and antennas; Part 4-2: Harmonized EN covering essential requirements of Article 3.2 of R&TTE Directive for antennas
ETSI	EN 302 288-2 V.1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices; Road Transport and Traffic Telematics (RTTT); short range radar equipment operating in the 24 GHz range; Part 2: Harmonized EN covering essential requirements of Article 3.2 of the R&TTE Directive
ETSI	EN 302 288-2 V1.2.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices; Road Transport and Traffic Telematics (RTTT); short range radar equipment operating in the 24 GHz range; Part 2: Harmonized EN covering essential requirements of Article 3.2 of the R&TTE Directive
ETSI	EN 302 291-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Close Range Inductive Data Commu- nication equipment operating at 13,56 MHz; Part 2: Harmonised EN under Article 3.2 of the R&TTE Directive



ETSI	EN 302 297 V1.1.1 Electromagnetic compatibility and Radio spectrum matters (ERM); transmitting equipment for analogue television broadcast service; harmonized EN under Article 3.2 of the R&TTE Directive
ETSI	EN 302 326-2 V1.1.2 Fixed Radio Systems; Multipoint Equipment and Antennas; Part 2: Harmonised EN covering the essential requirements of Article 3.2 of the R&TTE Directive for Multipoint Radio Equipment
ETSI	EN 302 326-3 V1.1.2 Fixed Radio Systems; Multipoint equipment and antennas; Part 3: Harmonised EN covering the essential requirements of Article 3.2 of the R&TTE Directive for Multipoint Radio Antennas
ETSI	EN 302 326-3 V1.2.2 Fixed Radio Systems; Multipoint Equipment and Antennas; Part 3: Harmonized EN covering the essential requirements of Article 3.2 of the R&TTE Directive for Multipoint Radio Antennas
ETSI	EN 302 340 V1.1.1 Satellite Earth Stations and Systems (SES); harmonized EN for satellite Earth Stations on board Vessels (ESVs) operating in the 11/12/14 GHz frequency bands allocated to the Fixed Satellite Service (FSS) covering essential requirements under Article 3.2 of the R&TTE Directive
ETSI	EN 302 372-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Equipment for Detection and Movement; Tanks Level Probing Radar (TLPR) operating in the frequency bands 5.8, 10, 25, 61 and 77 GHz; Part 2: Harmonized EN under Article 3.2 of the R&TTE Directive
ETSI	EN 302 426 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); harmonized EN for CDMA spread spectrum repeaters operating in the 450 MHz cellular band (CDMA450) and the 410, 450 and 870 MHz PAMR bands (CDMA PAMR) covering essential requirements of Article 3.2 of the R&TTE Directive
ETSI	EN 302 454-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Meteorological Aids (Met Aids); radiosondes to be used in the 1 668,4 MHz to 1 690 MHz frequency range; Part 2: Harmonized EN covering essential requirements of Article 3.2 of the R&TTE Directive
ETSI	EN 302 500-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD) using Ultra WideBand (UWB) technology; location tracking equipment operating in the frequency range from 6 GHz to 8,5 GHz; Part 2: Harmonized EN covering essential requirements of Article 3.2 of the R&TTE Directive



ETSI	EN 302 502 V1.1.1 Broadband Radio Access Networks (BRAN); 5,8 GHz fixed broad-band data transmitting systems; harmonized EN covering essential requirements of Article 3.2 of the R&TTE Directive
ETSI	EN 302 510-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); radio equipment in the frequency range 30 MHz to 37,5 MHz for Ultra Low Power Active Medical Membrane Implants and Acces-sories; Part 2: Harmonized EN covering essential requirements of Article 3.2 of the R&TTE Directive
ETSI	EN 302 536-2 V1.1.1 Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); radio equipment in the frequency range 315 kHz to 600 kHz; Part 2: Harmonized EN covering essential requirements of Article 3.2 of the R&TTE Directive
ETSI	EN 303 035-1 V1.2.1 Harmonized EN for TETRA equipment covering essential require- ments under Article 3.2 of the R&TTE Directive; Part 1: Voice plus Data (V+D)
ETSI	EN 303 035-2 V1.2.2 Harmonized EN for TETRA equipment covering essential require- ments under Article 3.2 of the R&TTE Directive; Part 2: Direct Mode Operation (DMO)
ETSI	ETS 300487/A1:1997 Satellite earth stations and systems (SES); Receive-only mobile earth stations (ROMES) operating in the 1,5 GHz band providing data communications; Radio Frequency (RF) specifications
CEN	EN 617:2001 Continuous handling equipment and systems — Safety and EMC requirements for the equipment for the storage of bulk materials in silos, bunkers, bins and hoppers