

No. 22670/August 8, 2019

**NATIONAL PLAN FOR
CIVIL AVIATION SAFETY
2019 – 2023**

National Plan for Civil Aviation Safety

2019 – 2023

Legal Basis

- Chapter II, Article 8 of Regulation (EU) No 2018/1139 of the European Parliament and of the Council of 4 July 2018 on common rules in the field of civil aviation and establishing a European Union Aviation Safety Agency, and amending Regulations (EC) No 2111/2005, (EC) No 1008/2008, (EU) No 996/2010, (EU) No 376/2014 and Directives 2014/30/EU and 2014/53/EU of the European Parliament and of the Council, and repealing Regulations (EC) No 552/2004 and (EC) No 216/2008 of the European Parliament and of the Council and Council Regulation (EEC) No 3922/91
- The National Plan for Civil Aviation Safety 2019-2023 was prepared based on the provisions of Article 11 of the National Civil Aviation Safety Programme, 3rd edition, approved by Order of the Ministry of Transport No 1182/2016, published in the Official Gazette, Part I No 813 of October 14, 2016.

National Plan for Civil Aviation Safety

2019 – 2023

Endorsed in the Safety Technical Committee 23 meeting of July 25, 2019

Endorsed in the State Safety Review Board meeting of August 6, 2019

**Safety Technical Committee
Coordinator
Head of Safety Analysis Office**

**Daniel
ACHIM**

National Plan for Civil Aviation Safety

2019 – 2023

National Plan for Civil Aviation Safety

2019 – 2023

TABLE OF CONTENTS

General	6
European Plan for Aviation Safety 2019-2023 (EPAS 2019-2023)	6
National Plan for Civil Aviation Safety 2019-2023 (pNSAC 2019-2023)	12
pNSAC Structure 2019-2023	13
Safety Performance	16
<i>Accidents</i>	16
<i>Serious Incidents</i>	19
Systemic Field	21
<i>Action Area: Safety Management</i>	21
(1) AS.01.01 PNSAC Development and Monitoring	21
(2) AS.01.01 pNSAC Development and Monitoring	23
(3) AS.01.02 Promotion of correct implementation of SMS	24
(4) AS.01.03 Development of a Regular Dialogue with the Romanian Aircraft Operators on FDM	26
(5) AS.01.04 SMS Assessment	28
(6) AS.01.05 Correlating pNSAC with SMS	30
<i>Action Area: Impact of Security on Safety</i>	32
(7) AS.02.01 Development of a National Strategy in the Field of Cybersecurity	32
Operational Field	34
<i>Action Area: CAT Operations by Aeroplanes</i>	34
(8) AO.01.01 Reduction of the Risk Posed by LOC-I Type Events	34
(9) AO.02.01 Runway Safety - Reduction of the Risk Posed by RE Type Events	35
(10)AO.02.02 Runway Safety - Reduction of the Risk Posed by RI Type Events	37
(11)AO.02.03 Runway Safety - Increasing the Importance of LRST	40
(12)AO.02.04 Runway Safety - Reduction of the Risk Posed by Birdstrike/Wildlife Type Events	41
(13)AO.02.05 - Runway Safety - Reduction of the Risk Posed by FOD on Runways	43
(14)AO.02.06 - Runway Safety - Implementation of SESAR Solutions for Runway Safety	45
(15)AO.03.01 Reduction of the Risk Posed by MAC Type Events	46
(16)AO.03.02 Reduction of the Risk Posed by 'Loss of Separation between Civil and Military Aircraft Type Events'	47
(17)AO.03.03 - Implementation of SESAR Solutions related to the Reduction of the Risk of Occurrence of MAC Type Events en Route or TMA	48
(18)AO.04.01 Ground Safety	49
(19)AO.05.01 Reduction of the Risk Posed by CFIT Type Events	50
(20)AO.06.01 Reduction of the risk posed by 'Fire, Smoke and Gas Fumes' Type Events	51
(21)AO.07.01 Reduction of the Risk Posed by SCF-PP Type Events	53
(22)AO.07.02 Reduction of the Risk Posed by SCF-NP Type Events	54

National Plan for Civil Aviation Safety

2019 – 2023

(23)AO.08.01 Rate of Occurrence of Non-Compliances following RAMP Inspections	55
<i>Action Area: Helicopter Operations</i>	57
(24)AO.09.01 Increasing the Degree of Safety of Helicopter Operations	57
(25)AO.09.02 - Implementation of SESAR Solutions on Safe Running of IFR Operations	59
<i>Action Area: General Aviation Operations</i>	60
(26)AO.10.01 Improve the Dissemination of Safety Messages	60
(27)AO.10.02 Develop Just Culture in General Aviation	62
(28)AO.11.01 Reduction of the Risk Posed by Airspace Infringement Type Events	63
Emerging Field	65
<i>Action Area: Safe Integration of New Technologies and Concepts</i>	65
(29)AE.01.01 Reduce the Risks related to the Operation of Civil Drones	65
(30)AE.01.02 Improve the Safety Culture in Aircraft Operators	67

National Plan for Civil Aviation Safety

2019 – 2023

General

The obligation of developing a National Plan for Civil Aviation Safety is set forth both in Chapter II, Article 8 of Regulation (EU) No 2018/1139¹ (*New Basic Regulation*), and Article 11 of PNSAC, 3rd edition ².

The National Plan for Civil Aviation Safety (pNSAC) establishes the national safety indicators with safety targets and related alert thresholds, and the actions needed to reduce safety risks.

In this way, the Acceptable Level of Safety Performance (ALoSP) is defined, by identifying, based on the assessment of the relevant safety information, the main safety risks affecting the national civil aviation system.

Essentially, pNSAC groups together the entire range of safety actions deemed necessary to be implemented in order to achieve the safety objectives set out by PNSAC.

The National Plan for Civil Aviation Safety contributes to the development of the European Plan for Aviation Safety by taking into its content the risks and related actions identified at European level, relevant for civil aviation in Romania.

Both the pNSAC and the revisions thereof are prepared by the Technical Safety Committee, endorsed by the Safety Assessment Committee and approved by the manager responsible for PNSAC, according to their duties set out in PNSAC.

With the publication of pNSAC, Romanian Civil Aeronautical Authority (RCAA) sets out its following objectives:

- Continuous update of strategic decisions adopted by means of PNSAC;
- Implementation of safety actions assigned to the Member States by means of EPAS;
- Implementation of safety actions identified at national level;
- Carrying out the actions to reduce the identified risks.

In conclusion, pNSAC is not a static document, it evolves based on EASA recommendations and the analyses carried out based on the data collected at national level.

European Plan for Aviation Safety 2019-2023 (EPAS 2019-2023)

European Plan for Aviation Safety - EPAS is the tool the fundamental aim of which is to avoid the occurrence of accidents and serious incidents in the field of civil aviation at European level.

While until this year, the EU Member States would implement the EPAS on a voluntary basis, it became binding with the entry into force of Regulation (EU) 2018/1139 (*New Basic Regulation*). The Regulation provides that the risks and related actions, established under EPAS, are to be included in a document such as a national safety plan. Each Member State is required to analyse and determine the risks and actions incumbent to them, to justify the omission of those which do not apply to them, and to develop their own Safety Plan.

¹ Regulation (EU) No 2018/1139 of the European Parliament and of the Council of 4 July 2018 on common rules in the field of civil aviation and establishing a European Union Aviation Safety Agency, and amending Regulations (EC) No 2111/2005, (EC) No 1008/2008, (EU) No 996/2010, (EU) No 376/2014 and Directives 2014/30/EU and 2014/53/EU of the European Parliament and of the Council, and repealing Regulations (EC) No 552/2004 and (EC) No 216/2008 of the European Parliament and of the Council and Council Regulation (EEC) No 3922/91

² Order of the Ministry of Transport No 1182/2016 for the approval of the *National Safety Civil Aviation Programme and for the appointment of the General Director of the Romanian Civil Aeronautical Authority as manager responsible for the implementation and monitoring of the functioning of the National Safety Civil Aviation Programme*, published in the Official Gazette, Part I No 813 of 14 October 2016.

National Plan for Civil Aviation Safety

2019 – 2023

- EPAS 2019-2023 Structure

Essentially, the current edition of EPAS sets out a number of *Strategic Priorities*, of which those relating to safety are:

- Systemic Field;

It includes actions affecting the civil aviation system in general, at their turn divided into:

- Safety management;
- Human factor and staff competencies;
- In-flight aircraft tracking, search/rescue operations and accident investigation;
- Impact of security elements on safety (cybersecurity, conflict zones and smart databases).

- Operational Field;

It includes actions aimed at safety risks reduction highlighted both at European and national level, resulting from the analysis of reported civil aviation events, and is divided into:

- Commercial air transport operations by aeroplanes and NCC business operations;
- Helicopter operations;
- General aviation operations;

- Emerging Field (Safe integration of new concepts and technologies)

It includes actions that consider the evolution trends of civil aviation systems, namely:

- Safe operation of drones (UAS);
- New business concepts and models in air operations;
- New products, systems, technologies and operations;
- New SESAR technologies;
- All-Weather Operations (AWO)

Each of these categories is divided into action areas, which in turn are divided into safety actions. The actions which fall within EASA responsibility are to be carried out by means of rulemaking - RMT, safety promotion - SPT, focused attention topic - FOT, evaluation task - EVT or research/study - RES. Actions which fall within the responsibility of the Member States, regardless of the type thereof, are marked in a simplified manner by MST.xxx, part of them being taken over in the pNSAC. In addition, FOT actions, even if they are monitored by EASA, also involve the Member States and imply actions by them.

National Plan for Civil Aviation Safety

2019 – 2023

MST and FOT actions contained in EPAS 2019-2023 are listed in the Table 1.

The comparative situation of the actions included in EPAS 2018-2022 against those of EPAS 2019-2023 is presented in the Table 2.

NOTE: It should be noted that the new action *MST.028 - Member States will determine and develop a National Plan for Civil Aviation Safety*, includes the following actions from the previous edition of EPAS:

- MST.004 - Aircraft upset (*indicator for 'Loss of control in flight - LOC-I' type events*)
- MST.005 - Fire, Smoke and Gas Fumes
- MST.006 - Terrain Conflict (*indicator for 'Controlled flight into terrain - CFIT' type events*)
- MST.007 - Runway safety - *Runway Excursion (RE)*
- MST.010 - Loss of separation (*indicator for 'Mid-air collision - MAC type events*)
- MST.014 - Runway safety - *Runway Incursion (RI)*
- MST.016 - Prevention of loss of separation in general aviation, caused by Airspace infringement in General Aviation
- MST.018 - Ground Safety

National Plan for Civil Aviation Safety

2019 – 2023

Field of Action	Action Area	MST Actions
Systemic	Safety management	MST.001 MST.002 MST.003 MST.026 MST.028
	Human factors and staff competence	n.a.
	Aircraft tracking, rescue operations and accident investigation	n.a.
	Impact of security elements on safety oversight and standardization	n.a. FOT.003 FOT.007 FOT.008
Operational	Aeroplane commercial air transport operations:	
	• Aircraft upset (<i>Loss of control in flight - LOC-I</i>)	n.a.
	• Runway safety	MST.029
	• Loss of separation (<i>Mid-air collision - MAC</i>)	MST.024 MST.030
	• Improve design, production and maintenance	n.a.
	• Terrain Conflict (<i>Controlled flight into terrain - CFIT</i>)	n.a.
	• Aircraft environment (fire, smoke and Gas Fumes)	n.a.
	• Miscellaneous	n.a.
	• Helicopter operations;	MST.015 MST.031
	General aviation operations NCO	
	Systemic enablers	MST.025 MST.027
	• Maintaining control	n.a.
	• Enable all-weather operations	n.a.
	• Prevention of loss of separation	FOT.010
• Flight management	n.a.	
• Civil drones (UAS)	n.a.	
Safe integration of new technologies and concepts	• New business models	MST.019
	• New products, systems, technologies and operations	MST.020
	• SESAR implementation	n.a.
	• All-weather operations (AWO)	n.a.
	•	

Table 1 - Action Areas in EPAS 2019-2023 and related MST and FOT actions

National Plan for Civil Aviation Safety

2019 – 2023

Action	EPAS 2018-2022	EPAS 2019-2023
MST.001	X	X
MST.002	X	X
MST.003	X	X
MST.004	X	X Through MST.028
MST.005	X	X Through MST.028
MST.006	X	X Through MST.028
MST.007	X	X Through MST.028
MST.010	X	X Through MST.028
MST.014	X	X Through MST.028
MST.015	X	X
MST.016	X	X Through MST.028
MST.018	X	X Through MST.028
MST.019	X	X
MST.020	X	X
MST.024	X	X
MST.025	X	X
MST.026	X	X
MST.027	X	X
MST.028		X
MST.029		X
MST.030		X
MST.031		X

Table 3 - Comparative situation of EPAS actions

National Plan for Civil Aviation Safety

2019 – 2023

- Safety performance

Pursuant to Article 6 of *New Basic Regulation*, EPAS shall specify the level of safety performance at the level of the European Union, which the States and the Commission together with EASA will strive to achieve. The level of safety performance should be determined based on Safety Performance Indicators - (SPI) from EPAS, accompanied, where required, by related safety targets, but also considering the safety related indicators and targets set forth in the ATM Performance Scheme.

The principles for establishing SPI in EPAS and related targets are based on two components:

1. Monitoring the negative **consequences** of civil aviation activities (accidents, serious incidents and injuries);
2. Monitoring the enablers, from the point of view of **systems** and **processes** necessary to maintain the safety management at the level of States and organizations.

In other words, SPIs based on consequences are reactive indicators, while SPIs based on systems and processes are proactive indicators.

EASA has decided that the SPI related targets established through EPAS are more relevant in terms of process-based indicators. As for the SPIs based on consequences, resulted under safety reporting, no targets will be set but a reference performance, against which the system shall be monitored.

Considering the foregoing, SPIs established through EPAS 2019-2023 are the following:

1. Monitoring of systems and processes

- a. *Oversight capabilities of the Member States*

Monitoring shall be based on the EASA Standardization Rate (as an alternative to the ICAO USOAP indicator *Effective Implementation - EI*), an indicator currently used to prioritize standardization inspections. The rate considers elements such as the size, nature and complexity of the functions of the State authorities, the number and type of open non-compliances, and the State's reaction to the closure of the non-compliances, following the submission of the final reports.

- b. *Member States progress on SSP implementation*

The indicator is based on data input by the Member States in the ICAO iSTARS platform. Moreover, additional information shall be used, collected from the relevant documents provided by the States (National Security Plans and Programmes), and the results of EASA visits assessing the application of Articles 6 and 7 of NBR shall be used in the future.

- c. *Effective implementation of SMS in civil aviation organizations*

In order to be able to monitor the effective implementation of SMS by organizations, it will be necessary to develop a common methodology for SMS assessment, and a method for scoring the results of assessments. Such an assessment and scoring method is currently only available in the ATM/ANS field, as part of the ATM Performance Scheme. It should also be borne in mind that SMS requirements are not yet applicable in the field of initial and continuous navigation.

For these reasons, this edition of EPAS does not set out any indicator and target for the degree of SMS implementation. However, the following shall be monitored:

National Plan for Civil Aviation Safety

2019 – 2023

- To what extent Member States use the monitoring tool developed by EASA (see action AS.01.04 - MST.026);
- Status of compliance with SMS requirements; In this respect, information such as the number and types (level 1/2) of non-compliances regarding the management systems of the organizations shall be monitored; For this purpose, EASA shall develop a dedicated questionnaire, to be filled in on an annual basis.

2 Consequence monitoring

The main inputs of the consequence-based indicators are:

- Number of accidents resulting in fatalities;
- Number of fatalities; and
- The number of accidents without fatalities and serious incidents

EASA divided SPI into two levels, namely:

- Level 1 SPI, which monitors all areas from the point of view of safety performance. The following are measured:
 - o The number of accidents with fatalities and the number of fatalities from the previous year, compared to the average of the previous decade; The current edition of EPAS considers the 2007-2016 decade, against which the data from 2017 are compared;
 - o In addition, for CAT operations, the number of accidents and serious incidents over a 4-year period is measured, which is compared to the 2011-2014 reference.
- Level 2 SPI, which covers the main risk areas by fields. These can be found in the Annual Risk Portfolio, developed annually by EASA as part of the risk management system.

National Plan for Civil Aviation Safety 2019-2023 (pNSAC 2019-2023)

Information considered in preparing the pNSAC 2019 - 2023 is presented in Figure 1, and consist of:

- The actions highlighted at European level, through EPAS 2019-2023;
- The risk portfolio for civil aviation in Romania - 2019, in which the specific risks at national level are highlighted;
- The result of the analysis carried out within the working groups set up to support the Technical Safety Committee activity;
- The conclusions resulting from the Report on the compliance with ALoSP established in pNSAC from the previous year.

National Plan for Civil Aviation Safety

2019 – 2023





Fig. 1 - Information used in preparing pNSAC

pNSAC 2019-2023 structure

The first part of the current edition of pNSAC 2019-2023 includes the presentation of the safety performance, the evolution of the number of accidents and serious incidents recorded in our country respectively, with the involvement of a civil aeronautical agent that is subject to the oversight of the Romanian authority.

Subsequently, all the actions covered by the pNSAC comply with the division by fields presented in EPAS 2019-2023, namely systemic, operational and emergent. Accordingly, the numbering of actions complies with the following scheme:



National Plan for Civil Aviation Safety

2019 – 2023

The current edition of pNSAC takes over the actions incumbent upon the Member States, included in EPAS 2019-2023, except for MST action.019 - *Better understanding of operators' governance structure*, for the implementation of which the guidelines to be prepared by EASA are still expected and MST.020 - *Loss of radar detection*, which was declared closed.

These actions shall be supplemented by those resulting from the analysis of national reporting and the Risk Portfolio for civil aviation in Romania - 2019.

Accordingly, the actions covered in RoPAS 2019-2023 are numbered as follows:

- Systemic Field: AS.01.01 – AS.02.01
- Operational Field: AO.01.01 – AO.10.03
- Emerging Field: AE.01.01 – AE.02.01

The correlation between the actions included in the pNSAC 2019-2023 and those incumbent upon the Member States, included in EPAS 2019-2023, is presented in Table 3.

Action No.	pNSAC Action	Field/Action Name	Action EPAS
Systemic			
Safety management			
1	AS.01.01	Development and monitoring of PNSAC	MST.001
2	AS.01.06	Development and monitoring of pNSAC	MST.028
3	AS.01.02	Promote the implementation of safety management system (SMS)	MST.002
4	AS.01.03	Member States shall develop a regular dialogue with national aircraft operators on flight data monitoring Programmes (FDM)	MST.003
5	AS.01.04	SMS assessment	MST.026
6	AS.01.05	Correlation of pNSAC with SMS	
Impact of security on safety			
7	AS.02.01	Development a national strategy in the field of <i>cybersecurity</i>	
Operational			
CAT operations with aeroplanes			
8	AO.01.01	Risk reduction of 'Aircraft upset - LOC-I' type events	MST.004 ¹
<i>Runway safety</i>			
9	AO.02.01	• Risk reduction of RE type events	MST.007 ²
10	AO.02.02.	• Risk reduction of RI type events	MST.014 ³
11	AO.02.03	• Increased importance of Runway Safety Teams (LRST)	
12	AO.02.04.	• Risk reduction for birdstrike/wildlife type events	
13	AO.02.05	• Risk reduction for FOD on the runway	
14	AO.02.06	Implementation of SESAR solutions for runway safety	MST.029
<i>Loss of separation</i>			
15	AO.03.01	• Risk reduction of 'Mid-air collision - MAC' type events	MST.010 ⁴
16	AO.03.02	• Risk reduction for 'Loss of separation between civil and military aircrafts'	MST.024

¹ The action was taken in the MST.028

² Idem

³ Idem

⁴ Idem

National Plan for Civil Aviation Safety

2019 – 2023

17	AO.03.03	• Implementation of SESAR solutions related to risk reduction of MAC type events occurring en route or TMA	MST.030
18	AO.04.01	Ground Safety	MST.018 ¹
19	AO.05.01	Risk reduction for 'Terrain Conflict - Controlled flight into terrain (CFIT)' type events	MST.006 ²
20	AO.06.01	Risk reduction for 'Fire, smoke and Gas Fumes' type events (<i>Aircraft environment</i>)	MST.005 ³
21	AO.07.01	Reduction of the risk posed by SCF-PP type events	
22	AO.07.02	Reduction of the risk posed by SCF-NP type events	
23	AO.08.01	The rate of occurrence of non-compliances following RAMP inspections	
Helicopters			
24	AO.09.01	Increase the degree of safety of helicopter operations	MST.015
25	AO.09.02	Implementation of SESAR solutions regarding the safe running of IFR operations	MST.031
General Aviation: Fixed Wing leisure flying			
26	AO.10.01	Improve the dissemination of safety messages	MST.025
27	AO.10.02	Develop Just Culture in General Aviation	MST.027
28	AO.10.03	Loss of separation - Reduction of the risk posed by 'Airspace infringement' by General Aviation aircrafts type events	MST.016 ⁴
Emergent			
Safe integration of new technologies and concepts			
29	AE.01.01	Reduction of the risks related to the operation of civil drones	
		Better understanding of aircraft operators' governance structure (<i>New business models</i>)	MST.019
30	AE.01.02	Improve the safety culture in aircraft operators	
		Reduction of the risk associated to 'Loss of radar detection' type events	MST.020

Table 3 - Correlation between pNSAC and EPAS actions

The following elements are stated for each action in particular:

- Description of the problem;
- Objective pursued;
- Corresponding action from EPAS 2019-2023 (if applicable);
- Performance indicator used;
- Performance target;
- Alert level;
- Necessary measures to reach the proposed target.

¹ Idem

² Idem

³ Idem

⁴ Idem

National Plan for Civil Aviation Safety

2019 – 2023

SAFETY PERFORMANCE

ACCIDENTS

Description

The definition provided for in Regulation (EU) No 996/2010¹ shall apply.

Objective

Increase the degree of safety of civil air transport.

Performance Indicator

- Number of accidents resulting in fatalities;
- Number of fatalities following accidents;
- Number of accidents;

Measurement

- The number of accidents resulting in fatalities, and the number of fatalities following accidents occurred with the involvement of a Romanian civil aeronautical agent are monitored, differentiated by the types of operations according to EPAS 2019-2023.²;
- For CAT operations, the total number of accidents and the number of accidents and the number of accidents resulted in fatalities are monitored, occurred with the involvement of a Romanian civil aeronautical agent, related to:
 - o 10,000 movements;
 - o 10,000 flight hours;
- For operations:
 - o with aircrafts from Annex I to Regulation (EU) No 2018/1139;
 - o with parachutes

The total number of accidents occurred with the involvement of a Romanian civil aeronautical agent, an aircraft registered in Romania or a pilot holding a license issued in Romania is monitored.

Performance target

- The number of accidents resulting in fatalities and the number of fatalities following the accidents, occurred with the involvement of a Romanian civil aeronautical agent in the year preceding the preparation of the pNSAC, should not exceed the reference levels at EU level, established by means of EPAS 2019-2023, namely:

¹ Regulation (EU) No 996/2010 of the European Parliament and of the Council of 20 October 2010 on the investigation and prevention of accidents and incidents in civil aviation and repealing Directive 94/56/EC (OJ L 295, 12.11.2010, p. 35).

² Operations: With aeroplanes (CAT companies, NCC business, SPO, NCO), helicopters (offshore, onshore, SPO, NCO), balloons, sailplanes, aerodrome and groundhandling infrastructure contribution, ATM/ANS infrastructure contribution; The definitions set forth in Regulation (EU) No 965/2012 shall apply.

National Plan for Civil Aviation Safety

2019 – 2023

Field	Average no. of accidents with fatalities 2007-2016	Average no. of fatalities 2007-2016
Aeroplanes		
CAT companies	0.9	66.4
NCC business	0.5	0.6
SPO	7.3	18.1
NCO	50.1	92.2
Helicopters		
Offshore	0.4	3.6
Onshore	1.7	5.4
SPO	4.0	7.5
NCO	5.6	13.2
Balloons		
	1.2	2.1
Sailplanes		
	25.4	29.5
ADR/GH		
	0.7	1.7
ATM/ANS		
	0.5	1.6

- For CAT operations, the average of the total number of accidents and the number of accidents resulting in fatalities, occurred over the last 4 years, with the involvement of a Romanian civil aeronautical agent, related to 10,000 movements, 10,000 flight hours respectively, should not exceed the reference levels at EU level, established by means of EPAS 2019-2023, namely the **average for the period 2011-2014**, that is:

SPI	Per 10,000 movements	Per 10,000 flight hours
Average accidents over 4 years		
	0.044	0.023
Average accidents resulting in fatalities over 4 years		
	0.001	0.0004
Accident average, differentiated by movement groups		
Group A: < 7,100	0.17	-
Group B: 7,100 - 35,099	0.18	-
Group C: 35,100 - 101,099	0.06	-
Group D: 102,100 - 199,999	0.04	-
Group E: > 199,999	0.03	-
Average accidents, differentiated by groups of flight hours		
Group A: < 14,000	-	0.18
Group B: 14,000 - 55,999	-	0.09
Group C: 56,000 - 155,999	-	0.04
Group D: 156,000 - 399,999	-	0.02
Group E: > 400,000	-	0.02
Average accidents by types of CAT operations		
Passenger transport (4 years)	0.04	0.02
Cargo transport (4 years)	0.13	0.05

National Plan for Civil Aviation Safety

2019 – 2023

- For operations:
 - with aircrafts from Annex I to Regulation (EU) No 2018/1139;
 - with parachutes.
- Downward trend in the number of accidents, compared to the average over the last 5 years.

National Plan for Civil Aviation Safety

2019 – 2023

SERIOUS INCIDENTS

Description

The definition provided for in Regulation (EU) No 996/2010¹ shall apply.

Objective

Increase the degree of safety of civil air transport.

Performance Indicator

- Number of serious incidents;

Measurement

- For CAT operations, the total number of serious incidents, occurred with the involvement of a Romanian civil aeronautical agent, is monitored, related to:
 - o 10,000 movements;
 - o 10,000 flight hours;
- For operations;
 - o LAGA;
 - o with parachutes

The total number of serious incidents occurred with the involvement of a Romanian civil aeronautical agent, an aircraft registered in Romania or a pilot holding a license issued in Romania is monitored.

Performance target

- For CAT operations, the average of the total number of serious incidents, occurred over the last 4 years, with the involvement of a Romanian civil aeronautical agent is monitored, related to 10,000 movements, at 10,000 flight hours respectively, should to exceed the reference levels at EU level, established by means of EPAS 2019-2023, namely the **average for the period 2011-2014**, i.e.:

SPI	Per 10,000 movements	Per 10,000 flight hours
Serious incidents average over 4 years		
	0.125	0.067
Serious incidents average, differentiated by groups of movements		
Group A: < 7,100	0.43	-
Group B: 7,100 - 35,099	0.22	-
Group C: 35,100 - 101,099	0,19	-
Group D: 102,100 - 199,999	0,13	-
Group E: > 199,999	0,12	-
Serious incidents average, differentiated by groups of flight hours		
Group A: < 14,000	-	0.32
Group B: 14,000 - 55,999	-	0.13
Group C: 56,000 - 155,999	-	0.10

¹ Regulation (EU) No 996/2010 of the European Parliament and of the Council of 20 October 2010 on the investigation and prevention of accidents and incidents in civil aviation and repealing Directive 94/56/EC (OJ L 295, 12.11.2010, p. 35).

National Plan for Civil Aviation Safety

2019 – 2023

Group D: 156,000 - 399,999	-	0.08
Group E: > 400,000	-	0.06
Serious incidents average by types of CAT operations		
Passenger transport (4 years)	0.13	0.07
Cargo transport (4 years)	0.32	0.13

- For operations:
 - o LAGA, including;
 - o with parachutes

Downward trend in the number of serious accidents, compared to the average over the last 5 years.

National Plan for Civil Aviation Safety

2019 – 2023

Field: Systemic

This field addresses system-wide problems that affect aviation as a whole. They often relate to deficiencies in organizational processes and procedures.

Action Area: Safety management - AS.01

Safety management is a major driver of the continuous improvement of air transport safety. However, it is necessary to continue efforts in this regard and the safety management systems (SMS) becoming more mature at the level of as many organizations, with the application of the last amendments to Annex 19 ICAO and the provisions of Regulation No 376/2014 on the reporting of civil aviation events.

1.

AS.01.01 - Development and monitoring of the National Programme for Civil Aviation Safety (PNSAC)

Description

ICAO Contracting States¹ have undertaken the obligation to develop at national level some national Programmes for civil aviation safety (*State Safety Programmes - SSP*), Annex 19 ICAO specifying the development framework for these Programmes. In Romania, the 3rd edition of the SSP is currently in force.

Starting with 2018, the development at national level of an SSP, correlated with the European Civil Aviation Safety Programme (*EASP*) has become a mandatory requirement, with the entry into force of Regulation (EU) No 2018/1139 (*New Basic Regulation*).

Objective

Romania's compliance with the provisions contained in Annex 19 ICAO and of Regulation (EU) No 2018/1139, regarding the development and monitoring of a PNSAC.

In the development and monitoring of PNSAC, the following aspects shall be monitored in particular:

- As a precondition for the implementation of the PNSAC, the efficient implementation of the requirements regarding the competent authority and the management of the deficiencies found in the oversight activity is ensured;
- Ensuring cooperation between the State authorities with duties in safety assurance in civil aviation;
- Ensuring competences of the inspectors to provide the oversight based on risk and performance;
- Ensuring the existence of risk and performance-based oversight policies and procedures, including describing the manner in which SMS is accepted and repeatedly monitored;

¹ Convention on International Civil Aviation, signed at Chicago on December 7, 1944 and ratified by Romania on April 30, 1965.

National Plan for Civil Aviation Safety

2019 – 2023

- Ensuring the existence of policies and procedures regarding data collection, analysis, exchange and protection in accordance with Regulation (EU) No 376/2014;
- Establishing a process for identifying SPI at the State level;
- Ensuring the dissemination of documents related to the SSP (including by making them available to the other Member States and EASA);
- Ensuring regular review and assessment of the effectiveness of PNSAC.

Corresponding action from EPAS 2019-2023

MST.001 - Member States will assign greater importance to the development and implementation of National Safety Programmes

Performance Indicator

The degree of implementation of the actions contained in '*Comparative analysis against ICAO requirements regarding PNSAC implementation*' (GAP Analysis), the edition in force.

Measurement

The degree of implementation posted on the ICAO secured website is monitored.

Performance target

100% implementation of the actions included in the GAP Analysis.

Alert level

n.a.

Measures to reach the performance target

1. Regular updating of the GAP Analysis in the ICAO iSTARS platform and ordering measures necessary to carry out the actions of the GAP Analysis (**SPI 2**).

Responsible - BAS/CTS

2. Developing a procedure for establishing SPI at the State level.

Responsible - BAS

3. AACR shall make sure it has enough personnel to carry out its safety oversight responsibilities. (**FOT.003**)

Responsible – DANA/DN/DOACP

4. AACR shall make sure that the requirements regarding the authorities, existing in the specific regulations (RA), are applied consistently in all areas of activity. (**FOT.007**)

Responsible – DANA/DN/DOACP

5. Closing the non-compliances resulting from EASA standardization visits within the time frames accepted by EASA (**SPI 1**)

Responsible – DANA/DN/DOACP

National Plan for Civil Aviation Safety

2019 – 2023

2.

AS.01.06 - Development and monitoring of the National Plan for Civil Aviation Safety (pNSAC)

Description

In accordance with the provisions of Annex 19 ICAO, as an integral part of the SSP or as a separate document, States have committed to develop National Plans for Civil Aviation Safety. These plans establish the national safety indicators with the safety targets and the corresponding alert thresholds, and the actions necessary for safety risk reduction.

Starting with 2018, the development at national level of a National Safety Plan, correlated with the European Plan for Aviation Safety (*EPAS*) has become a mandatory requirement, with the entry into force of Regulation (EU) No 2018/1139 (*New Basic Regulation*).

Objective

Romania's compliance with the provisions contained in Annex 19 ICAO and of Regulation (EU) No 2018/1139, regarding the development and monitoring of a pNSAC.

pNSAC should address the following issues:

- Describe the manner in which it is developed;
- Include safety objectives, safety indicators and targets;
- Reflect the actions included in the current EPAS edition
- Reflect the main risks highlighted at national level, in addition to those highlighted by means of EPAS.

Corresponding action from EPAS 2019-2023

MST.028 - Member States shall develop and maintain a National Plan for Civil Aviation Safety

Note: Action MST.028 includes the former actions of the previous EPAS edition: MST 004, 005, 006, 007, 010, 014, 016 and 018.

Performance Indicator

n.a.

Measurement

n.a.

Performance target

n.a.

Alert level

n.a.

Measures to reach the performance target

n.a.

National Plan for Civil Aviation Safety

2019 – 2023

3.

AS.01.02 - Promoting the correct implementation of Safety Management Systems (SMS)

Description

The promotion of safety is one of the four components of PNSAC and is therefore addressed through the current document.

Basically, the promotion of safety is carried out both by specialized training of civil aeronautical personnel and by the exchange of safety information.

The action described in this chapter refers in particular to the exchange component of safety information, for promoting good practices and of supporting the aeronautical agents in the action of developing their own safety systems (SMS), according to the legal provisions or on a voluntary basis.

Objective

Support civil aeronautical agents in developing their own SMS.

Corresponding action from EPAS 2019-2023

MST.002 - Promotion of SMS

Performance Indicator

Safety promotion documents (SMS guidance materials, safety guides and bulletins specific to the identified national risk areas).

Meetings on safety issues with civil aeronautical agents.

Measurement

Number of safety promotion documents issued

Number of safety meetings organized with civil aeronautical agents

Performance target

Issue at least a constant number of safety promotion documents.

Organize at least a constant number of safety meetings with civil aeronautical agents.

Alert level

n.a.

National Plan for Civil Aviation Safety

2019 – 2023

Measures to reach the performance target

1. Post on the AACR website of the documents related to the SMS implementation, developed by ESSI working groups (ECAST, EHEST and EGAST)¹ and SMICG² or other organizations.

Responsible - BAS

2. Promote the documents provided for in section 1 through meetings with civil aeronautical agents, workshops, internal memos, etc.

Responsible – BAS/DOACP/DANA/DN

3. Update and develop own guidance materials in the field of SMS implementation and promotion thereof.

Responsible – BAS/DOACP/DANA/DN

4. Monitor the carrying out of the actions related to the promotion of the SMS implementation, contained in 'Planning the implementation of PNSAC' (edition in force).

Responsible - BAS

5. Promote the pNSAC within the civil aeronautical agents, in order to raise awareness of the obligation to implement its provisions in the parts of the industry, and monitor the method of implementation, as part of the oversight activity.

Responsible – BAS/DOACP/DANA/DN/GL-CAT/GL-ADR/GL-LAGA

¹ The European Strategic Safety Initiative ([European Commercial Aviation Safety Team](#), [European Helicopter Safety Team](#) and [European General Aviation Safety Team](#))

² Safety Management International Collaboration Group

National Plan for Civil Aviation Safety

2019 – 2023

4.

AS.01.03 - Development of a regular dialogue with the Romanian aircraft operators regarding Flight Data Monitoring (FDM) Programmes

Description

Many safety indicators used to monitor safety performance at industry level are based on information from FDM Programmes. FDM is a proactive manner to use the safety information obtained from the operation, along with those provided by Air Safety Reports, in order to highlight the safety trends and eliminate the risk factors.

At the EASA level, a working group called *European Authorities coordination group on FDM (EAFDM)* was created, in order to support Member States in standardizing FDM events relevant to national Programmes for civil aviation safety.

FDM Programmes are mandatory for aeroplane operators with *Maximum Certified Take-Off Mass (MCTOM)* higher than 27,000 kg.

Objective

Foster the implementation by the Romanian aircraft operators of the FDM Programmes, and the inclusion therein of the events relevant to the risks identified at national level, included in the pNSAC.

Corresponding action from EPAS 2019-2023

MST.003 - Member States shall maintain a regular dialogue with national aircraft operators on flight data monitoring (FDM) Programmes

Performance Indicator

Inclusion in the FDM Programmes of the events relevant to the risks identified at national level, included in the pNSAC, by the Romanian aircraft operators for whom the implementation of the FDM Programmes is mandatory.

Measurement

The percentage of Romanian aircraft operators who included in their own FDM Programmes the events relevant to the risks identified at national level, contained in the pNSAC, out of the total number of Romanian operators for whom the implementation of FDM Programmes is mandatory.

Performance target

Inclusion in the FDM Programmes of the events relevant to the risks identified at national level, included in the pNSAC, by all Romanian operators for whom the implementation of the FDM Programmes is mandatory.

National Plan for Civil Aviation Safety

2019 – 2023

Alert level

n.a.

Measures to reach the performance target

1. Promoting documents developed by EAFDM, including 'GM for national aviation authorities on organizing a national forum on the FDM topic';

Responsible – BAS/DOACP

2. Organize regular meetings with Romanian aircraft operators in order to:

- Promote the benefits of FDM on operational safety;
- Exchange of FDM information in the context of *Just Culture*;
- Foster the operators to use documents on good practices, prepared by EAFDM or other bodies;
- Foster the operators to include in their own FDM Programmes relevant events at least for the safety risks highlighted in this document (see Operational Action Field) and monitoring the evolution of this action.

Responsible – BAS/SGL-FDM/DOACP

National Plan for Civil Aviation Safety

2019 – 2023

5.

AS.01.04 - SMS assessment

Description

During 2017, EASA developed an SMS assessment tool of an organization. The tool has the advantage that it can be applied to any civil aviation organization that develops an SMS, regardless of the field in which it operates.

EASA fosters the use of this tool, first of all by the national authorities to support the oversight based on risk and performance, as well as by the civil aviation organizations, for self-assessing the maturity degree of their SMS. Furthermore, reporting to EASA of the manner of using the tool is fostered, with the aim of improving it.

The tool is used without prejudice to the obligations arising from the SES ATM Performance Scheme.

Objective

The use of the SMS assessment tool by the AACR, when assessing SMS organizations in all fields of civil aviation where the implementation of an SMS is mandatory, except for the ATM.

Corresponding action from EPAS 2019-2023

MST.026 - SMS assessment

Performance Indicator

The number of civil aviation organizations the SMS of which has been assessed by the AACR using the assessment tool developed by EASA, except for ATM.

Measurement

The percentage of civil aviation organizations the SMS of which has been assessed by AACR using the assessment tool developed by EASA, out of the total civil aviation organizations that are required to implement an SMS, except for ATM.

Performance target

The use of the SMS assessment tool by AACR, in assessing the SMS of all civil aviation organizations for which the implementation of an SMS is mandatory, except for ATM.

Alert level

n.a.

National Plan for Civil Aviation Safety

2019 – 2023

Measures to reach the performance target

1. Transposition of the SMS assessment tool, developed by EASA (**SPI 3**);
Responsible - BAS
2. Foster the use of the tool by civil aviation organizations for self-assessment of the maturity of their own SMS.
Responsible – DOACP/DANA/DN
3. The use of the SMS assessment tool by AACR, in assessing the SMS of all civil aviation organizations for which the implementation of an SMS is mandatory, except for ATM.
Responsible – DOACP/DANA/DN
4. Increase the capacity of AACR to assess SMS in all field, with special attention to:
 - Safety culture;
 - Management structure of the organization;
 - Interaction between the processes of risk identification and assessment and monitoring processes;
 - Method of using the information resulting from the non-compliances found and from the safety information, such as events, incidents, accidents. (**FOT.008**).**Responsible – BAS/DOACP/DANA/DN**

National Plan for Civil Aviation Safety

2019 – 2023

6.

AS.01.05 - Correlation of pNSAC with SMS

Description

A number of actions aimed at raising the degree of safety in civil aviation are established through the pNSAC. The efficiency of these actions is measured by monitoring performance indicators, to which performance targets and alert levels are attached.

At least some of these performance indicators are applicable to aeronautical agents in different fields of civil aviation. Moreover, in the case of agents who develop, on a compulsorily or voluntarily basis, an SMS, these indicators must be included in their own SMS and monitored as such.

Safety Management Manual (Doc. 9859 ICAO, 3rd Edition) sets out, in Chapter 4 - *State Safety Programme*, the general framework of a National Safety Programme. One of the elements of this general framework (item 2.2 - Acceptance of the security performance of the service providers) provides that the safety Performance Indicators of the service providers, and the alert levels and their targets, should be accepted by the competent authority on an individual basis. When accepting them, it must also be aimed that they are congruent with the safety indicators applicable in the pNSAC.

Objective

Ensure that the safety performance indicators of the of the service providers that develop a SMS, and the alert levels and their targets, are congruent with the safety indicators applicable in the pNSAC.

Corresponding action from EPAS 2019-2023

n.a.

Performance Indicator

The number of civil aviation organizations the SMS of which includes safety performance indicators congruent with those applicable in the pNSAC, related to the total number of civil aviation organizations developing a SMS.

Measurement

The percentage of civil aviation organizations the SMS of which includes safety performance indicators congruent with those applicable in the pNSAC out of the total number of civil aviation organizations developing a SMS.

Performance target

All SMS should include safety performance indicators congruent with those applicable in the pNSAC.

National Plan for Civil Aviation Safety

2019 – 2023

Alert level

n.a.

Measures to reach the performance target

1. Appropriate amendment of the legislative framework;

Responsible – BAS/DANA/DOACP

2. Aim that the safety performance indicators of the service providers that develop a SMS, and the alert levels and their targets, are congruent with the safety indicators applicable in the pNSAC, within the acceptance process of SMS.

Responsible – DANA/DOACP

National Plan for Civil Aviation Safety

2019 – 2023

Action Area: Impact of security on safety

7.

AS.02.01 - Ensuring cyber security

Description

Cyber threats are constantly evolving, subjecting IT&C systems and networks to risks that can cause significant damage in all industrial, public and government sectors worldwide.

International civil aviation is vulnerable to cyber security risks, as awareness efforts at the regulatory, decision-making, managerial, development and operational levels have manifestly failed to deliver, have not been correlated and have not been integrated into the aeronautical specificity. Over the last years, processes have been initiated at international level for preparing the first strategies and standards in cyber security applied to civil aviation (including the EASA Strategy and the EPAS 2019-2023 action plan), generating obligations to adapt, corresponding to the regulations and national institutions/organizations.

In the absence of appropriate measures, Romanian civil aviation is exposed to cyber security threats and vulnerabilities, due to the use of aeronautical and general-purpose IT&C systems and networks. Recently, European and national regulations (in terms of protection of IT&C systems and networks, critical infrastructure protection, cyber security, data protection, and aeronautical security and safety), create the obligation to establish concrete institutional responsibilities and sets forth financing and development decisions (in infrastructure, technology, human resources, standardization and rules setting), in order to align national civil aviation with cyber security requirements.

Objective

Implementation of integrated cyber security measures at national civil aviation level.

Corresponding action from EPAS 2019-2023

n.a.

Performance indicator

n.a.

Measurement

n.a.

Performance target

n.a.

Alert level

n.a.

National Plan for Civil Aviation Safety

2019 – 2023

Measures to reach the performance target

1. Development and implementation of a national strategy for cyber security of civil aviation, with medium to long term perspective.

Responsible - DSAC

2. Develop a regulatory framework on cyber security for civil aviation, covering all areas of aviation. In addition, the development of standards and methodological benchmarks for the unitary application of cyber security measures, at the level of all entities in civil aviation.

Responsible - DSAC

3. Develop applied cooperation in cyber security, with relevant institutions and authorities, at national and international level.

Responsible - DSAC

4. Develop technical response capabilities for cyber security incidents.

Responsible - DSAC

5. Develop culture and skills in cyber security of civil aviation.

Responsible - DSAC

6. Development of a Cyber Security Management System, and its integration/harmonization with the existing Civil Aviation Management Systems.

Responsible - DSAC

National Plan for Civil Aviation Safety

2019 – 2023

Field: Operational

Action Area: CAT operations with aeroplanes

Includes actions aimed at reducing the main risks to the safety of CAT operations with aeroplanes.

8.

AO.01.01 - Reduction of the risk posed by 'Aircraft upset (LOC-I)' type events

Description

LOC-I type events (loss of control in flight) represent an extreme manifestation of a deviation from the expected flight path. The phrase *loss of control* covers only part of the cases in which an unintended deviation from the flight path is manifested.¹

According to the Risk Portfolio for civil aviation in Romania - 2018, this type of event represents the highest risk for CAT operations with aeroplanes, representing the main cause of accidents resulting in fatalities.

Objective

Reduction of the frequency of occurrence of LOC-I type events.

Corresponding action from EPAS 2019-2023

MST.028 - Member States shall develop and maintain a National Plan for Civil Aviation Safety (also includes the former MST.004 from the previous edition of EPAS - Including aspects related to '*Loss of control in flight - LOC-I*' in National Safety Programmes)

Performance Indicator

LOC-I type events for CAT operations performed by Romanian operators.

Measurement

The number of LOC-I type events for CAT operations performed by Romanian operators is measured.

¹ ECCAIRS Aviation 1.3.0.12 - Data Definition Standard English - Attribute Values - 29 April 2013.

<https://www.icao.int/safety/airnavigation/AIG/Pages/ADREP-Taxonomies.aspx>

[https://www.icao.int/safety/airnavigation/AIG/Documents/ADREP%20Taxonomy/ECCAIRS%20Aviation%201.3.0.12%20\(VL%20for%20AttrID%20%2032%20-%20Aircraft%20category\).pdf](https://www.icao.int/safety/airnavigation/AIG/Documents/ADREP%20Taxonomy/ECCAIRS%20Aviation%201.3.0.12%20(VL%20for%20AttrID%20%2032%20-%20Aircraft%20category).pdf)

National Plan for Civil Aviation Safety

2019 – 2023

Performance target

Downward trend in the annual number of LOC-I type events.

Alert level

Whenever a LOC-I event occurs.

Measures to reach the performance target

1. Highlighting and applying the risk reduction measures posed by the main precursors of this type of events, namely:
 - Activation of any flight envelope protection;
 - Icing in flight
 - Severe turbulence, windshear

Responsible – DN/DOACP/DANA/ GL-CAT

2. Further development and monitoring of the application by the Romanian aircraft operators of specific pilot training Programmes to avoid LOC-I.

Responsible - DOACP

National Plan for Civil Aviation Safety

2019 – 2023

9.

AO.02.01 - Runway safety - Reduction of the risk posed by 'Runway excursion (RE)' type events

Description

'Runway excursion' (RE) means exceeding the surface of the runway, in its axis or sideways. (ICAO)

Runway excursion occurs when an aircraft deviates from the runway uncontrollably during take-off or landing. The deviation may or may not be intentional.

Types of runway excursion can be:

- An aircraft taking off fails to lift off into the air or successfully stops take-off before reaching the designated runway end;
- An aircraft landing is incapable of stopping before reaching the end of the designated runway;
- An aircraft that deviates sideways during the take-off, take-off abortion or landing procedure.

The following categories of events do not fall within the ICAO ADREP definitions for runway excursion; however, they are deemed close enough to be included in this category, due to the similarity of the number of causal and contributory factors or risk mitigation methods:

- Aircraft trying to land and touches the ground before the runway in the perimeter of the aerodrome;
- The use for take-off/landing of a runway other than the designated one or of the taxiways.

According to the Risk Portfolio for civil aviation in Romania - 2019, this type of event represents the highest risk for CTA operations with aeroplanes, representing the main cause of accidents resulting in casualties and serious incidents.

Objective

Reduction of the frequency of occurrence of RE type events.

Corresponding action from EPAS 2019-2023

MST.028 - Member States shall develop and maintain a National Plan for Civil Aviation Safety (also includes the former MST.007 from the previous EPAS edition - Including aspects related to '*Runway excursion - RE*' in the National Safety Programmes

Performance Indicator

RE type events for CAT operations.

National Plan for Civil Aviation Safety

2019 – 2023

Measurement

The number of REs occurred with the involvement of a Romanian civil aeronautical agent is monitored. The events of this type are highlighted in the airports in Romania and those in other countries.

Performance target

Downward trend in the number of RE, related to the average over the last 5 years.

Alert level

Whenever a RE event occurs.

Measures to reach the performance target

1. Highlighting and applying the risk reduction measures posed by the main precursors of this type of events, namely:

Aerodrome field:

- Ensuring the braking coefficient during operations and using the equipment for determining the braking coefficient, during summertime and wintertime;
- Training of airport staff regarding the future requirements set forth by the amendments to Annexes 14 and 15 ICAO and PANS-ADR, which will enter into force on November 4, 2020;
- Reporting of conditions on movement areas;
- Work under traffic pressure, inspection, clearing snow under traffic and reporting conditions.

Air operations field:

- Approach path management;
- High-speed rejected take-off;
- Landing in adverse met conditions.
- Training of navigation staff regarding the future requirements set forth by the amendments to Annexes 14 and 15 ICAO and PANS-ADR, which will enter into force on November 4, 2020;

Responsible – GL-AD/ GL-CAT

2. Continue promoting the implementation of the provisions of the European Action Plan for the Prevention of Runway Excursion, and those developed by other organizations

Responsible – BAS/DANA/DOACP/GL-AD/GL-CAT

National Plan for Civil Aviation Safety

2019 – 2023

10.

AO.02.02 - Runway safety - Reduction of the risk posed by 'Runway incursion (RI)' events

Description

(ICAO Doc 4444 – PANS-ATM):

The 'runway incursion' (RI) is any incident that occurs at the aerodrome and involves the incorrect presence of an aircraft or persons in a protected/restricted area designated for landing or take-off of aircrafts.

'Incorrect presence' may be the consequence of a pilot's mistake to submit to a valid traffic control approval/clearance (ATC) or to comply with an incorrect traffic control approval/clearance.

The most common events of this type are¹:

- Deviation of aircraft at runway entry contrary to ATC clearance/approval;
- Crossing the aircraft runway after landing contrary to ATC clearance/approval;
- ATC running clearance in conflict with other ATC clearance;
- Incorrect ATC clearance to occupy the runway;
- Towing the aircraft to cross the runway contrary to ATC clearance.

Objective

Reduction of the frequency of occurrence of RI type events.

Corresponding action from EPAS 2019-2023

MST.028 - Member States shall develop and maintain a National Plan for Civil Aviation Safety (also includes the former MST.014 from the previous EPAS edition Including aspects related to '*Runway incursion - RI*' in the National Safety Programmes

Performance Indicator

RI type events for CAT operations.

Measurement

The number of RIs occurred with the involvement of a Romanian civil aeronautical agent is monitored. The events of this type are highlighted in the airports in Romania and those in other countries.

Performance target

Downward trend in the number of RI, related to the average over the last 5 years.

¹ Source: Eurocontrol Skybrary

National Plan for Civil Aviation Safety

2019 – 2023

Alert level

Whenever a RI event occurs.

Measures to reach the performance target

1. Highlighting and applying the risk reduction measures posed by the main precursors of this type of events, namely:

Aerodrome field:

- Access on the manoeuvre surface without observing the procedures;
- Failure to follow the instructions of the control elements;
- Deviation of ATC clearance.

Air operations field:

- Deviation of ATC clearance;
- Perception and situational awareness;
- Failure to follow the instructions of the control elements.

Responsible – GL-AD/ GL-CAT

2. Promote the application of the provisions:

- a. Doc 9870: Manual of the Prevention of Runway incursion
- b. European Action Plan for the Prevention of Runway Incursion;
- c. Documents on this topic developed by other organizations.

Responsible – BAS/DANA/DOACP/GL-AD/ GL-CAT

National Plan for Civil Aviation Safety

2019 – 2023

11.

AO.02.03 - Runway safety - Increased importance of Local Runway Safety Teams (LRST)

Description

Local Runway Safety Team (*LRST*) is a key element in the safety Programmes of the runway on an aerodrome, ensuring the concentration of all parties involved in the safety of the runway.

An LRST must be made up of at least all parties involved in take-off and landing operations, namely: The aerodrome operator, the aeronautical information provider, the air navigation service provider, the aerodrome operators, pilots' associations or local air traffic controllers, other relevant organizations operating on the manoeuvre surface, etc.

Objective

Stimulate proactive runway safety management and reduce specific risks, especially RE and RI type events (see AO.02.01 and OA.02.02).

Corresponding action from EPAS 2019-2023

n.a.

Performance Indicator

Number of LRST meetings.

Measurement

The number of LRST meetings organized at airports in Romania is measured.

Performance target

At least 2 LRST meetings organized annually in each airport.

Alert level

n.a.

Measures to reach the performance target

1. Drafting of guidelines on the establishment and operation of LRST.

Responsible –BAS/DANA

2. Include the verification of the functioning of the LRST in the oversight audits.

Responsible - DANA

National Plan for Civil Aviation Safety

2019 – 2023

12.

AO.02.04 Runway safety - Reduction of the risk posed by birdstrike/wildlife type events

Description

Bird strike type events are strictly defined as representing the collision between a bird and an aircraft in flight or in the take-off or landing phase.

This type of event is relatively common and represents a significant danger to flight safety. It can cause major structural damage, especially for small aircrafts. Furthermore, these events can lead to loss of traction, especially in the case of jet engine aircrafts, following the ingestion of birds in the engine. Such situations led to fatal accidents.

Bird strike type events can occur in any phase of the flight, but most likely occur in the take-off, initial climb, approach and landing phases, due to the concentration of birds in flight at low levels. Moreover, considering that the activity of most birds takes place during daytime, most of these events take place during this period.

Similarly, *wildlife* type events are defined as representing the collision between an animal, other than a bird, and an aircraft in flight or in the take-off or landing phase. These events also pose a significant danger to the safety of the flights, as there are situations in which they have resulted in fatal accidents.

Objective

Reduction of the frequency of occurrence of *bird strike/wildlife* type events.

Corresponding action from EPAS 2019-2023

n.a.

Performance Indicator

Number of *bird strike/wildlife* type events in airports in Romania.

Measurement

The number of *bird strike* and *wildlife* respectively type events in airports in Romania is measured separately, relative to the total number of movements in airports.

Performance target

Downward trend in number of *bird strike* and *wildlife* respectively type events, relative to the total number of movements on airports in Romania.

Alert level

Upward trend in the quarterly number of *bird strike* and *wildlife* respectively type events, relative to the total number of movements in airports in Romania.

National Plan for Civil Aviation Safety

2019 – 2023

Measures to reach the performance target

1. Promote the measures included in the Annual Analyse regarding *bird strike/wildlife* civil aviation type events, drawn up within AACR based on the provisions of the Order of the Ministry of Transport No 1309/2014 and verification of their application, as part of the oversight activity.

Responsible - DANA

2. Promote the measures contained in the guidelines prepared by specialized bodies, such as ICAO Doc 9137: Airport Services Manual Part 3 - Wildlife Control and Reduction, 4th edition, 2012.

Responsible - DANA

National Plan for Civil Aviation Safety

2019 – 2023

13.

AO.02.05 - Runway safety - Reduction of the risk posed by FOD on runways

Description

Foreign Object Debris (FOD) are objects found in an improper location which, as a result of their existence in that location, can cause damage to equipment or injury to persons. FODs include a wide range of materials, such as disassembled parts, paving fragments, catering items, building materials, stones, sand, luggage, animal scraps.

The main areas considered for this action are:

- Runway FOD (RWY FOD) - refers to various objects present on the runway that can affect high speed moving aircraft (landing or take-off). RWY FOD is the greatest safety hazard;
- FOD on trackway or on ramps (TWY/APRON FOD) - these types of FOD present a lower risk than RWY FOD. However, there have been situations where they have been moved on the runway, for example due to the jet of air produced by the aircraft;
- Maintenance FOD (MTN FOD) - refers to various objects used in maintenance activity that can cause damage to the aircraft.

Objective

Reduction of the frequency of occurrence of FOD events on the runway

Corresponding action from EPAS 2019-2023

n.a.

Performance Indicator

FOD type events on the moving areas, occurred in airports in Romania

Measurement

The number of FOD type events on the moving surfaces, occurred in the airports in Romania, broken down by RWY FOD, TWY/APRON FOD and MTN FOD is measured.

Performance target

Downward trend in the number of FOD type events, against the average over the last 5 years.

Alert level

Monthly growth above the average recorded in the same period in the last 5 years.

National Plan for Civil Aviation Safety

2019 – 2023

Measures to reach the performance target

1. Verification, as part of the oversight activity, of the manner in which the factors contributing to FOD type events are prevented from occurring, such as:
 - Deficiencies in the maintenance of buildings, equipment or aircrafts;
 - Inadequate staff training;
 - Pressure on traffic restriction as little as possible;
 - Weather conditions;
 - Uncontrolled presence of vehicles on the moving areas.

Responsible – DANA/DN

2. Ensure the existence of a FOD control Programme in each airport, as part of the oversight activity.

Responsible – DANA/DN

3. Promoting documents on FOD topic issued by specialized bodies.

Responsible – BAS/DANA/DN

National Plan for Civil Aviation Safety

2019 – 2023

14.

AO.02.06 - Runway safety - Implementation of SESAR solutions for runway safety

Description

This action is based on the assessment, together with the aerodrome operators and the air navigation service provider, of the need to implement SESAR solutions related to runway safety.

These solutions are designed to improve runway safety and must be implemented insofar as this is feasible.

SESAR Solution Catalogue can be accessed at:

https://www.sesarju.eu/sites/default/files/documents/reports/SESAR_Solutions_Catalogue_2019_web.pdf

Objective

Increased safety of runway operations.

Corresponding action from EPAS 2019-2023

MST.029 - Implementation of SESAR solutions for runway safety.

Performance Indicator

Number of SESAR solutions for runway safety implemented.

Measurement

The number of SESAR solutions for runway safety implemented at least with one Romanian civil aeronautical agent is measured.

Performance target

n.a.

Alert level

n.a.

Measures to reach the performance target

1. Highlighting SESAR solutions for runway safety.

Responsible - DANA

2. Assessment, together with the aerodrome operators and the air navigation service provider, of the necessity and feasibility of implementing SESAR solutions related to runway safety

Responsible – BAS/DANA/GL-AD/ROMATSA

3. Verification, as part of the oversight activity, of the manner of application of the highlighted SESAR solutions.

Responsible - DANA

National Plan for Civil Aviation Safety

2019 – 2023

15.

AO.03.01 - Reduction of the risk posed by 'Mid-air collision - (MAC)' type events

Description

This type of event refers to the potential collision between two aircrafts in flight. Direct precursors are also included, such as loss of separation, real TCAS RA alerts (*Traffic Collision Avoidance System - Resolution advisories*, Airspace infringements).

Objective

Reduction of the frequency of occurrence of MAC type events.

Corresponding action from EPAS 2019-2023

MST.028 - Member States shall develop and maintain a National Plan for Civil Aviation Safety (also includes the former MST.010 from the previous EPAS edition - Including aspects related to '*Mid-air collisions - MAC*' in the National Safety Programmes)

Performance Indicator

MAC type events occurred in Romania's airspace.

Measurement

The number of MAC type events occurred in Romania's airspace is measured.

Performance target

Downward trend in the annual number of MAC type events.

Alert level

Whenever a MAC type event occurs.

Measures to reach the performance target

1. Highlighting and applying the risk reduction measures posed by the main precursors of this type of events, namely:
 - Improper conflict detection/incorrect pilot response;
 - Deviation of ATC clearance;
 - Airspace infringement

Responsible - GL-CAT

National Plan for Civil Aviation Safety

2019 – 2023

16.

AO.03.02 Reduction of the risk posed by 'Loss of separation between civil and military aircrafts' type events

Description

Several events have been reported at European level, regarding the loss of separation between civil and military aircraft, and an increase in non-cooperative military traffic over the 'High Seas'.

Accordingly, at the request of the European Commission, EASA carried out a technical analysis of such events and issued several recommendations for the Member States.

Objective

Applying EASA recommendations in order to reduce the risk posed by 'Loss of separation between civil and military aircraft' type events.

Corresponding action from EPAS 2019-2023

MST.024 - Loss of separation between civil and military aircrafts

Performance Indicator

'Loss of separation between civil and military aircraft' type events occurred in Romania's airspace.

Measurement

The number of 'Loss of separation between civil and military aircraft' type events occurred in Romania's airspace is measured.

Performance target

Downward trend in the annual number of 'Loss of separation between civil and military aircraft' type events.

Alert level

Whenever there is a 'Loss of separation between civil and military aircraft' type event.

Measures to reach the performance target

1. Full implementation of the recommendations issued by EASA for the reduction of the risk posed by 'Loss of separation between civil and military aircrafts type events'.

Responsible - DANA

National Plan for Civil Aviation Safety

2019 – 2023

17.

AO.03.03 - Implementation of SESAR solutions regarding the reduction of the risk of MAC events en route or TMA

Description

This action is based on the assessment, together with the air navigation service provider, of the need to implement the SESAR solutions regarding the MAC.

These solutions need to be implemented insofar as this is feasible. SESAR

Solution Catalogue can be accessed at:

https://www.sesarju.eu/sites/default/files/documents/reports/SESAR_Solutions_Catalogue_2019_web.pdf

Objective

Reduction of the risk posed by MAC type events en route or TMA.

Corresponding action from EPAS 2019-2023

MST.030 - Implementation of SESAR solutions regarding the reduction of the risk of occurrence of MAC events en route or TMA

Performance Indicator

The number of MAC related SESAR solutions implemented.

Measurement

The number of MAC related SESAR solutions implemented is measured.

Performance target

n.a.

Alert level

n.a.

Measures to reach the performance target

1. Highlighting MAC related SESAR solutions.

Responsible - DANA

2. Assessment, together with the air navigation service provider, of the need and feasibility of implementing MAC related SESAR solutions.

Responsible – BAS/DANA/ROMATSA

3. Verification, as part of the oversight activity, of the manner of application of the highlighted SESAR solutions.

Responsible - DANA

National Plan for Civil Aviation Safety

2019 – 2023

18.

AO.04.01 - Ground Safety

Description

This action area refers to actions to reduce the risk of occurrence of events involving the collision of an aircraft with another aircraft, an obstacle or vehicle while the aircraft is moving, self-propelled or towed. This category also includes groundhandling related events (aircraft loading, fueling, etc.). Collisions occurring on the runway are not included.

Objective

Reduction of the frequency of occurrence of 'ground safety'.

Corresponding action from EPAS 2019-2023

MST.028 - Member States shall develop and maintain a National Plan for Civil Aviation Safety (also includes the former MST.018 from the previous edition EPAS - Including aspects related to '*Ground Safety* in the National Safety Programmes)

Performance Indicator

'Ground Safety' type events occurred with the involvement of a Romanian aeronautical agent.

Measurement

The number of 'Ground Safety' events occurred with the involvement of a Romanian aeronautical agent is measured, related to the number of movements in airports in Romania. The *TWY Incursion* type events shall be highlighted separately.

Performance target

Downward trend in the number of 'Ground Safety' type events / 100.00 total movements against the average over the last 5 years.

Alert level

Whenever the number of such events per quarter of year exceeds the quarterly average of such events in the last 5 years.

Measures to reach the performance target

1. Highlighting and applying the risk reduction measures posed by the main precursors of this type of events, namely:
 - Compliance with the provisions of the Platform Management Manual.
 - Serving under adverse weather conditions.
 - Communications and language barriers.

Responsible – DANA/GL-AD/BAS

National Plan for Civil Aviation Safety

2019 – 2023

19.

AO.05.01- Reduction of the risk posed by 'Terrain Conflict - Controlled flight into terrain (CFIT)' type events

Description

Collision or quasi-collision of a flight with the terrain, with a surface of water or obstacle, without indications of loss of control of the aircraft.¹

Objective

Reduction of the frequency of occurrence of CFIT type events.

Corresponding action from EPAS 2019-2023

MST.028 - Member States shall develop and maintain a National Plan for Civil Aviation Safety (also includes the former MST.0006 from the previous EPAS edition - Including aspects related to '*Controlled flight into terrain - CFIT*' in the National Safety Programmes

Performance Indicator

CFIT type events occurred in Romania's airspace.

Measurement

The number of CFIT type events in Romania's airspace is measured

Performance target

Downward trend in the annual number of MAC type events.

Alert level

Whenever a CFIT type event occurs.

Measures to reach the performance target

1. Highlighting and applying the risk reduction measures posed by the main precursors of this type of events, namely:
 - False or disruptive ILS signal capture;
 - Deviation below glideslope;
 - Flight Management System incorrectly set.

Responsible – DANA/DOACP/GL-CAT

¹ ECCAIRS Aviation 1.3.0.12 - Data Definition Standard English - Attribute Values - 29 April 2013.

<https://www.icao.int/safety/airnavigation/AIG/Pages/ADREP-Taxonomies.aspx>
[https://www.icao.int/safety/airnavigation/AIG/Documents/ADREP%20Taxonomy/ECCAIRS%20Aviation%201.3.0.12%20\(VL%20for%20AttrID%20%2032%20-%20Aircraft%20category\).pdf](https://www.icao.int/safety/airnavigation/AIG/Documents/ADREP%20Taxonomy/ECCAIRS%20Aviation%201.3.0.12%20(VL%20for%20AttrID%20%2032%20-%20Aircraft%20category).pdf)

National Plan for Civil Aviation Safety

2019 – 2023

20.

AO.06.01 Reduction of the risk posed by 'Fire, smoke and Gas Fumes' type events)

Description

Uncontrolled fire on an aircraft, especially when it is in flight, is one of the most serious safety hazards. This action area also includes the fires occurring in the event of an aircraft crash.

In-flight fires may ultimately result in the loss of control over the aircraft, either due to the occurrence of structural failures or command systems, or due to crew incapacitation. Fires on the ground can take hold rapidly and lead to casualties if the emergency response is not swift enough. Furthermore, smoke and Gas Fumes, whether they are associated with fire or not, can lead to passenger or crew incapacitation, thus representing a major danger.

Objective

Reduction of the risk associated to 'Fire, smoke and Gas Fumes' type events.

Corresponding action from EPAS 2019-2023

MST.028 - Member States shall develop and maintain a National Plan for Civil Aviation Safety (also includes the former MST.005 from the previous EPAS edition - Including aspects related to 'Fire, smoke and Gas Fumes' in the National Safety Programmes

Performance Indicator

'Fire, smoke and Gas Fumes' type events occurred with the involvement of a Romanian aeronautical agent.

Measurement

The number of 'Fire, smoke and Gas Fumes' type events occurred with the involvement of a Romanian aeronautical agent is measured.

Performance target

Downward trend in the number of 'Fire, smoke and Gas Fumes' type events.

Alert level

Whenever there is a 'Fire, smoke and Gas Fumes' type event.

Measures to reach the performance target

1. Highlighting and applying the risk reduction measures posed by the main precursors of this type of events, namely:
 - Wiring damage;
 - Contamination of insulating surfaces;
 - Overheating of lithium batteries.

Responsible – BAS/DOACP/DN/GL-CAT/ GL-AD

National Plan for Civil Aviation Safety

2019 – 2023

2. Applying the recommendations issued by ICAO and EASA safety bulletins, regarding the hazards involved by lithium batteries or other fire related events.

Responsible – BAS/DANA/DOACP

National Plan for Civil Aviation Safety

2019 – 2023

21.

AO.07.01 - System/component failure - reduction of the risk associated with 'System/Component Failure or Malfunction - Power Plant (SCF-PP)' type events

Description

System/Component Failure or Malfunction - powertrain.¹

Objective

Risk reduction associated with certain SCF-PP type events recorded by Romanian aircraft operators.

Corresponding action from EPAS 2019-2023

n.a.

Performance Indicator

Certain measured events (see paragraph below) of SCF-PP type recorded by Romanian aircraft operators.

Measurement

The number of SCF-PP type events is measured, related to the number of movements in the national airspace, recorded by the Romanian aircraft operators, in the 'engine failure' category.

Performance target

Downward trend in the number of SCF-PP type events from the categories mentioned in the previous paragraph.

Alert level

Whenever an event of this type occurs.

Measures to reach the performance target

1. Highlighting and applying the risk reduction measures posed by the main precursors of this type of events, namely:
 - Improper maintenance;
 - Component failure;
 - Fuel supply system malfunction.

Responsible – DN/DOACP/BAS/ GL-CAT

¹ ECCAIRS Aviation 1.3.0.12 - Data Definition Standard English - Attribute Values - 29 April 2013.

<https://www.icao.int/safety/airnavigation/AIG/Pages/ADREP-Taxonomies.aspx>
[https://www.icao.int/safety/airnavigation/AIG/Documents/ADREP%20Taxonomy/ECCAIRS%20Aviation%201.3.0.12%20\(VL%20for%20AttrID%20%2032%20-%20Aircraft%20category\).pdf](https://www.icao.int/safety/airnavigation/AIG/Documents/ADREP%20Taxonomy/ECCAIRS%20Aviation%201.3.0.12%20(VL%20for%20AttrID%20%2032%20-%20Aircraft%20category).pdf)

National Plan for Civil Aviation Safety

2019 – 2023

22.

AO.07.02 - System/component failure - reduction of the risk associated with 'System/Component Failure or Malfunction - Non Powerplant (SCF-NP)' type events

Description

System/Component Failure or Malfunction - other than the powertrain.¹

According to the Risk Portfolio for civil aviation in Romania - 2019, the SCF-NP type events with the highest risk are those of '*Depressurization*' type, being an important cause of serious incidents.

Objective

Risk reduction associated with certain SCF-PP type events recorded by Romanian aircraft operators.

Corresponding action from EPAS 2019-2023

n.a.

Performance Indicator

Certain measured events (see paragraph below) of SCF-PP type recorded by Romanian aircraft operators performing CAT operations.

Measurement

The number of SCF-PP type events related to the number of movements in the national airspace is measured, recorded by the Romanian aircraft operators, in the '*Depressurization*' category. The 'return of the aircraft from take-off' type events due to causes other than SCF-PP type shall be highlighted.

Performance target

Downward trend in the number of SCF-PP type events from the categories mentioned in the previous paragraph.

Alert level

When the number of events per quarter exceeds the quarterly average of such events in the last 5 years.

Measures to reach the performance target

1. Highlighting the main precursors of SCF-NP type events related to '*Depressurization*' and the measures to reduce the risk posed by them.

Responsible - GL-CAT

¹ ECCAIRS Aviation 1.3.0.12 - Data Definition Standard English - Attribute Values - 29 April 2013.

<https://www.icao.int/safety/airnavigation/AIG/Pages/ADREP-Taxonomies.aspx>

[https://www.icao.int/safety/airnavigation/AIG/Documents/ADREP%20Taxonomy/ECCAIRS%20Aviation%201.3.0.12%20\(VL%20for%20AttrID%20%2032%20-%20Aircraft%20category\).pdf](https://www.icao.int/safety/airnavigation/AIG/Documents/ADREP%20Taxonomy/ECCAIRS%20Aviation%201.3.0.12%20(VL%20for%20AttrID%20%2032%20-%20Aircraft%20category).pdf)

National Plan for Civil Aviation Safety

2019 – 2023

23.

AO.08.01 - Rate of occurrence of non-compliances as a result of ramp inspections

Description

'RAMP INSPECTION' as defined in Article 4 of Regulation (EU) No 965/2012 represents the means of assessing the level of safety achieved by an aircraft operator operating on national airports. Non-compliances (deviations from ICAO or European standards) can be found following ramp inspections. The rate of occurrence of non-compliances is a parameter computed by the method established by EASA and which represents an indicator of the level of flight safety at the level of the Romanian aircraft operators and, implicitly, of the safety level at the national level. The computing method of this parameter is given below.

Performance Indicator

Rate of occurrence of non-compliances as a result of ramp inspections

Measurement

For an aircraft:

$$Ra = \frac{(C1 * 0,25) + (C2 * 1) + (C3 * 2)}{Ni}$$

C1 - number of 1st category non-compliances;

C2 - number of 2nd category non-compliances;

C3 - number of 3rd category non-compliances;

Ni - number of inspections performed on an aircraft

Ra - rate of occurrence of non-compliances for an aircraft in one year.

For an operator:

$$Rop = \frac{\sum_{i=1}^n Rai}{n}$$

Where:

- **Rai** is the rate of occurrence of non-compliances in each of the aircrafts included in the AOC;
- **n** is the number of AOC inspected aircrafts.

For Romanian Civil Aeronautical Authority (and country, respectively)

$$Rtar\grave{a} = \frac{\sum_{i=1}^m Ropi}{m}$$

Where:

- **m** is the number of Romanian aircraft operators inspected;

Performance target

The country rate should not exceed more than 10% of the European average value.

National Plan for Civil Aviation Safety

2019 – 2023

Alert level

- When the rate of a Romanian operator exceeds 1.5;
- When the country rate has an increasing trend from one measurement to another.

Measures to reach the performance target

1. Continued activity of the RAMP Working Group, established within the Romanian Civil Aeronautical Authority R.A.

Responsible - DOACP

2. Input in the SMS of each aircraft operator the specific response and solving procedure of non-compliances revealed by the RAMP inspections (SAFA/SACA).

Responsible - DOACP

3. Prioritization of AACR inspections and audits based on the score of aircraft operators resulting from non-compliances recorded by RAMP inspections.

Responsible - DOACP

4. Organizing work meetings with aircraft operators.

Responsible - DOACP

National Plan for Civil Aviation Safety

2019 – 2023

Action Area: Helicopter operations

This action area includes all helicopter operations. For comparison, EPAS 2019-2023 includes in this area of action the following actions performed with helicopters:

- Offshore (part of CAT);
- Other CAT operations performed by AOC holders;
- SPO/aerial work;
- Non-commercial operations.

24.

AO.09.01 - Increasing the safety degree of helicopter operations

Description

According to the *Risk Portfolio for civil aviation in Romania - 2019*, the main risk areas for helicopter operations are:

- LOC-I (*Loss of control in flight*), which represented the cause of all accidents resulting in fatalities within the type of operations reviewed, and the serious incident;
- LOC-G (*Loss of control on ground*), CFIT (*Controlled flight into terrain*), ARC (*Abnormal runway contact*) and SCF-PP (*System/component failure - powerplant*) are the main causes of accidents without casualties;
- MAC type events - AI (*Airspace infringement*) and are the main causes of the incidents.

The above risk areas largely coincide with those highlighted at EASA level through *Safety Report 2018*.

Objective

Monitor for the purpose of highlighting the control means of the risks associated with events in helicopter operations.

Raising awareness of risks and good practices among the community of helicopter operators

Corresponding action from EPAS 2019-2023

MST.015 - Helicopter safety events

Performance Indicator

LOC-I, LOC-G, CFIT, ARC, AI SCF-PP and SCF-NP type events in helicopter operations.

Measurement

The number of LOC-I, LOC-G, CFIT, ARC, AI type events is measured.

For the SCF-PP type events, the ones in the 'tail rotor and main rotor failures or malfunctions' category are measured.

National Plan for Civil Aviation Safety

2019 – 2023

For the SCF-NP type events, those in the 'loss of redundancy of essential systems - electrical, hydraulically, NAV, flight controls, landing gear' category are measured.

Performance target

Downward trend in the annual number of MAC type events.

Alert level

Whenever an event of the type described above occurs in helicopter operations.

Measures to reach the performance target

1. Highlighting the main precursors of LOC-I, LOC-G, CFIT, ARC, AI, SCF-PP and SCF-NP type events in helicopter operations other than CAT, and the risk reduction measures posed by them.

Responsible – GL-LAGA/ SGL-LAGA-HE

2. Organizing annual or bi-annual meetings with helicopter operators where documents drafted by EHEST, IHST, HeliOffshore, and those prepared within AACR level are promoted.

Responsible – DOACP/ GL-LAGA/ SGL-LAGA-HE

National Plan for Civil Aviation Safety

2019 – 2023

25.

AO.09.02 - Implementation of SESAR solutions regarding the safe running of IFR operations

Description

This action is based on the assessment, together with the air navigation service provider and procedure developers, of the possibility of developing a network of routes in the lower airspace, which would facilitate the safe operation of the helicopters.

These solutions need to be implemented insofar as this is feasible. SESAR Solution Catalogue can be accessed at:

https://www.sesarju.eu/sites/default/files/documents/reports/SESAR_Solutions_Catalogue_2019_web.pdf

Objective

Reduction of the risk posed by the operation of helicopters.

Corresponding action from EPAS 2019-2023

MST.031 - Implementation of SESAR solutions aiming to facilitate safe IFR operations

Performance Indicator

The number of SESAR solutions aiming to facilitate safe IFR operations

Measurement

The number of implemented SESAR solutions aiming to facilitate safe IFR operations is measured.

Performance target

n.a.

Alert level

n.a.

Measures to reach the performance target

1. Highlighting SESAR solutions aiming to facilitate safe IFR operations.

Responsible – DANA/DOACP

2. Assessment, together with the air navigation service provider and procedure developers, of the necessity and feasibility of implementing SESAR solutions aiming to facilitate safe IFR operations.

Responsible – BAS/DANA/ROMATSA/GL-LAGA

3. Verification, as part of the oversight activity, of the manner of application of the highlighted SESAR solutions.

Responsible - DANA

National Plan for Civil Aviation Safety

2019 – 2023

Action Area: General aviation operations

Includes actions aimed at reducing the main risks to the safety of general aviation operations, with aircraft other than helicopters (aeroplanes, ULM, AUN). By comparison, the equivalent action area of EPAS 2019-2023 refers only to non-commercial general aviation operations, with aircrafts registered with a mass of less than 5,700 kg.

26.

AO.10.01 - Systemic enablers - improve the dissemination of safety messages

Description

It covers actions that affect the general aviation system as a whole, covering several specific safety risks in this field.

The action consists in the dissemination of materials to promote the safety of general aviation operations, by means of the organization by the Romanian Civil Aeronautical Authority, the Romanian Air Club and/or associations in the field.

Objective

Reduction in the number of casualties occurred as a result of general aviation accidents.

Corresponding action from EPAS 2019-2023

MST.025 - Improve the dissemination of safety messages

Performance Indicator

Meetings on safety issues with civil aeronautical agents carrying out general aviation operations.

Measurement

Number of meetings on safety topics organized.

Performance target

Organize, with at least constant frequency, meetings on safety topics of general aviation operations

Alert level

n.a.

Measures to reach the performance target

1. Highlighting and applying the risk reduction measures posed by the main precursors of this type of events, namely:

National Plan for Civil Aviation Safety

2019 – 2023

- Failure to comply with maintenance schedule requirements;
- Incorrect assessment of aircraft performance;
- Error identifying the landing gear and its condition.

Responsible - GL-LAGA

2. Organizing regular meetings with general aviation operators to disseminate specific safety information.

Responsible – DOACP/ DN/ GL-LAGA/ ACR/ AZLR

National Plan for Civil Aviation Safety

2019 – 2023

27.

AO.10.02 - Systemic enablers - Development of the Just Culture in general aviation

Description

It covers actions that affect the general aviation system as a whole, covering several specific safety risks in this field.

The action consists in including in the PNSAC certain provisions specific to the Just Culture in the general aviation, in order to foster the reporting of events and to favour the positive safety behaviour.

Objective

Foster reporting of events in general aviation.

Corresponding action from EPAS 2019-2023

MST. Development of Just Culture in general aviation

Performance Indicator

Number of reporting performed by civil aeronautical agents carrying out general aviation operations.

Measurement

Number of reporting made by general aviation operators.

Performance target

Increase the number of reporting by civil aeronautical agents carrying out general aviation operations

Alert level

n.a.

Measures to reach the performance target

1. Inclusion in the PNSAC of certain provisions specific to Just Culture in general aviation.
Responsible – BAS/DOACP/DN
2. Promote the provisions regarding Just Culture among civil aeronautical agents carrying out general aviation operations.
Responsible – BAS/DOACP/DN/ GL-LAGA/ ACR/ AZLR

National Plan for Civil Aviation Safety

2019 – 2023

28.

AO.10.03 - Loss of separation - Reduction of the risk posed by 'Airspace infringement' by general aviation aircrafts type events

Description

The MAC type events considered in this action area constitute an extension of the events addressed in the AO.03.01. and AO.03.02 actions at general aviation operations.

At European level, it was pointed out that one of the main precursors of this event type is the 'Airspace infringement' type events, along with the complexity of the airspace organization and the technological aspects.

Objective

Reduction of the risk associated to 'Airspace infringement' type events in general aviation.

Corresponding action from EPAS 2019-2023

MST.028 - Member States shall develop and maintain a National Plan for Civil Aviation Safety (also includes the former MST.016 from the previous EPAS edition - Risks generated by the general aviation operations leading to airspace infringement

Performance Indicator

'Airspace infringement' type events occurred with the involvement of an operator/pilot in the area of responsibility of the Romanian competent authorities.

Measurement

The number of 'Airspace infringement' type events occurred with the involvement of an operator/pilot in the area of responsibility of the Romanian competent authorities is measured.

Performance target

Downward trend in the annual number of 'Airspace infringement' type events.

Alert level

When the number of events per quarter exceeds the quarterly average of such events in the last 5 years.

Measures to reach the performance target

1. Highlighting and applying the risk reduction measures posed by the main precursors of this type of events, namely:
 - Flights without bilateral radio talks with the ATC unit;
 - Poor/scarce communication between pilots and ATC unit;
 - Lack of adequate fitting of aircrafts with specific equipment (radio 8.33 KHz, transponder).

Responsible – GL-LAGA/ ACR/ AZLR

National Plan for Civil Aviation Safety

2019 – 2023

2. As part of the oversight activity, the raise of quality of the support offered to the general aviation operators by the air navigation service provider shall be pursued **(FOT.010)**

Responsible – DANA/ ROMATSA

3. Develop an online platform for briefing general aviation operators, facilitating their access to aeronautical information through easy/intuitive graphics

Responsible – BAS/DOACP/DANA/ GL-LAGA/ACR/AZLR/ROMATSA

National Plan for Civil Aviation Safety

2019 – 2023

Field: Emergent

Action Area: Safe integration of new technologies and concepts

This area of action concerns the problem of the safe integration of new technologies and innovative solutions in the civil aviation system.

Many of these new technologies have a genuine potential for improving the level of safety, but the risk assessment needs to be addressed at the safety derived from these technologies, new operational concepts and new business models.

29.

AE.01.01 - Reduction of the risks associated with the operation of unmanned aircraft used in civil applications

Description

Unmanned aircraft - aircraft guided either by an autopilot on board, or by remote control from a ground control centre or other manned aircraft¹.

Subsequent to the entry into force of the provisions of Regulation (EU) No 1139/2018 and in harmonizing the European requirements regarding the planning and conduct of flight activities with unmanned aircraft in the European airspace,

- a. the Commission Delegated Regulation (EU) 2019/945 of 12 March 2019 on unmanned aircraft systems and on third-country operators of unmanned aircraft systems from third countries were prepared and published;
- b. Commission Implementing Regulation (EU) 2019/947 of 24 May 2019 on the rules and procedures for the operation of unmanned aircraft;

Consequently, as of July 1, 2019, in order to be able to market unmanned aircraft on the EU market, producers, importers and distributors are required to comply with the provisions of Regulation (EU) 2019/947.

Starting with July 1, 2020, for the planning and conduct of flight activities with unmanned aircraft in the EU airspace, including that of Romania, the operators of these aircraft shall have the obligation to comply with the requirements of the national statutory rules, and those of the Regulation (EU) 2019/947.

Objective

Reduction of the number of events caused by the operation of unmanned aircraft used in civil applications, in the national airspace.

Corresponding action from EPAS 2019-2023

n.a.

Performance Indicator

Events caused by the operation of unmanned aircraft used in civil applications in national airspace.

¹ Romania's Rules of the Air

National Plan for Civil Aviation Safety

2019 – 2023

Measurement

The number of events occurred following the operation of unmanned aircraft used in civil applications in the national airspace/the number of unmanned aircraft registered is measured.

Performance target

Reduction of the number of events caused by the operation of unmanned aircraft used in civil applications in the national airspace/number of unmanned aircraft used in registered civil applications.

Alert level

n.a.

Measures to reach the performance target

1. 03.03 - Implementation of SESAR solutions related to the reduction of the risk of MAC events occurring en route or TMA
Responsible – DN/DOACP/DANA
2. Application of all regulations and GM issued at European level in the field of operation of unmanned aircraft used in civil applications.
Responsible – DN/DOACP/DANA
3. Promotion and raising awareness of the need for the safe operation of unmanned aircraft used in civil applications.
Responsible – DN/DOACP/DANA/ BAS

National Plan for Civil Aviation Safety

2019 – 2023

30.

AE.01.02 - Improvement of the safety culture of aircraft operators

Description

Aircraft operators have a series of obligations regarding the reporting of civil aviation events arising mainly from the provisions of Regulation 376/2014.

Objective

Maintain the safety culture at the level of the aircraft operators regardless of the new business models.

Increase the reporting level of civil aviation events in general aviation operators.

Corresponding action from EPAS 2019-2023

n.a.

Performance Indicator

Reporting of civil aviation events submitted by AIAS and/or AACR aircraft operators.

Measurement

The number of reporting of civil aviation events submitted by aircraft operators is measured, related to the number of km flown.

Performance target

Upward trend in the number of reporting of civil aviation events submitted by aircraft operators/100,000 km flown.

Alert level

n.a.

Measures to reach the performance target

1. Assessment, during the oversight activity, of the manner of observing the requirements incumbent upon aircraft operators through Regulation No 376/2014.

Responsible - DOACP

National Plan for Civil Aviation Safety

2019 – 2023